

PRAA

Price list 2026



CONTENT

CORE baths

BELLA 1705×800 mm	DUNA 1500×650 mm	PERLA 145 1450×710 mm	PERLA 160 1600×750 mm	PERLA 175 1750×760 mm	AMORE 1600×850 mm	STORIA 1670×725 mm
p. 4. C/S/G	p. 4. C/S/G	p. 5. C	p. 5. C	p. 5. C	p. 6. C/S	p. 6. C
BELLA OVO 1700×800 mm	FELICE 1945×830 mm	QUADRO 1590×700 mm	QUADRO CORNER A/D 1600×750 mm		QUADRO WALL 1600×760 mm	DECO NUDO 1660×725 mm
p. 7. C/S	p. 7. S	p. 8. C/S/G	p. 8. C/S/G		p. 8. C/S/G	p. 9. C/S/G
DECO RIM 1660×810 mm	DECO WALL 1660×810 mm	DECO CORNER 1600×1270 mm	VICTORIA 1700×830 mm	DOLCE 1800×900 mm	STEP 1700×890 mm	BEL CANTO 1800×850 mm
p. 9. S/G	p. 9. S/G	p. 10. S	p. 10. A/S	p. 11. S/G	p. 11. C	p. 11. C

CORE washbasins

BELLA	FELICE	AMORE	PERLA	QUADRO ON	QUADRO	DECO	ROUND ON
p. 12. C/S/G	p. 12. S/G	p. 12. C/S/G	p. 12. C/S/G	p. 13. C/S/G	p. 13. C/S/G	p. 13. C/S/G	p. 14. C/S/G
OVO IN	ROUND IN	OPUS IN	DO 22	DO 25	DO 28	RE	MI
p. 14. C/S/G	p. 14. C/S/G	p. 14. C/S/G	p. 15. C/S/G	p. 15. C/S/G	p. 15. C/S/G	p. 15. S	p. 15. S

ROOT baths

SMART 150 1500×750 mm	SMART 160 1500-1600×750 mm	SMART 170 1600-1700×750 mm	SMART 180 1700-1800×750 mm	VARIO M 1500-1600×750 mm	VARIO L 1600-1700×750 mm	VARIO XL 1750-1850×800 mm
p. 16.-17. C	p. 16.-17. C	p. 16.-17. C	p. 16.-17. C	p. 18.-19. C	p. 18.-19. C	p. 18.-19. C
UNO 150 1500×750 mm	UNO 170 1700×750 mm	TRE 150 A/D 1500×1000 mm		TRE 170 A/D 1700×1000 mm		VERSO 1700×750 mm
p. 20. C	p. 20. C	p. 20. C		p. 21. C		p. 21. C

Cast Stone = C

Silkstone = S

Graphite = G

ROOT washbasins

CLARO
washbasins



p. 22. C

LONG STEP
washbasins



p. 23. C

LOTO MINI / LOTO
washbasins



p. 24. C

SAMBA 55 / SAMBA 70



p. 25. C

STEP MINI/STEP



p. 25. C

VARIO



p. 25. C

ROOT Cast Stone shower trays

CLASSIC KV



p. 26. C

CLASSIC RO



p. 26. C

CLASSIC NEW



p. 26. C

ART KV



p. 27. C

ART RO



p. 27. C

ART



p. 27. C

LARGO



p. 28. C

LETTERA



p. 29. C

MTM baths

DECO SHAPE

1660-2500×725-1250 mm



p. 30. S

DECO SHAPE RE

1700-2000×825 mm



p. 30. S

DECO SHAPE RE A/D

1700-2000×825 mm



p. 31. S

MTM washbasins

OPUS MINI / OPUS



p. 32.-33. S

OPUS GRANDE



p. 34. S

STRETTO



p. 35. S

ROUND



p. 36. S

ODO



p. 37. S

PIANO



p. 38. S

CREDO



p. 39. S

QUADRO



p. 40. S

Order form
for MTM
washbasins

p. 41.

FLOW 45/50



p. 42.-43. S

Made to Measure surfaces.
ON-TOP washbasins



p. 44.-51. S

MTM CRAFT shower tray

Order form for
Deco Shape
baths



p. 52.-53. C / S

p. 54.

Made to Measure
shelves



p. 55. S

Made to Measure
wall panels



p. 55. S

Technical information

product code generation,
product tint/colour
cards, warranty terms, etc.

p. 56.-58.

About Materials

Info about Cast Stone,
Silkstone and Graphite
materials




p. 59.-61.

FREESTANDING BATHS


CORE



Item	Description	Price EUR		Art. NR. White / In colour
		White	In colour	
BELLA 1705 x 800 mm h = 550 mm Volume: 312 l Weight: 135/113 kg Integrated push-open drain-overflow (included)	Bath in Cast Stone	2835	3675	VABELL/xx
	Bath in Silkstone®	3730	4300	VABELS/xx
	Bath in GRAPHITE		5100	VABELS/01















NEW!



DUNA 1500 x 650 mm h = 600 mm Volume: 265 l Weight: 75 / 67 kg Integrated push-open drain (included)	Bath in Cast Stone	2255	2850	VADUNA/xx
	Bath in Silkstone®	2780	3350	VADUNS/xx
	Bath in GRAPHITE		4050	VADUNS/01

NOTE! Duna bath has no overflow.



Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
	PERLA 145 1450 x 710 mm h = 600 mm Volume: 260 l Weight: 105/84 kg Integrated push-open drain-overflow (included)	Bath in Cast Stone Bath in Silkstone® Bath in GRAPHITE	2365 3310 4620	3045 3780 VAPERLS145/01
				
	PERLA 160 1600 x 750 mm h = 600 mm Volume: 275 l Weight: 107/85 kg Integrated push-open drain-overflow (included)	Bath in Cast Stone Bath in Silkstone® Bath in GRAPHITE	2520 3465 4675	3200 3940 VAPERLS/01
				
	PERLA 175 1750 x 760 mm h = 600 mm Volume: 315 l Weight: 120/97 kg Integrated push-open drain-overflow (included)	Bath in Cast Stone Bath in Silkstone® Bath in GRAPHITE	2940 3835 5200	3835 4410 VAPERLS175/01
				


All prices in EUR

FREESTANDING BATHS


CORE



Item	Description	Price EUR		Art. NR. White / In colour
		White	In colour	
AMORE	Bath in Cast Stone	2680	3465	VAAMO/xx
	Bath in Silkstone®	3570	4150	VAAMS/xx
	Bath in GRAPHITE		4935	VAAMS/01




Item	Description	Price EUR		Art. NR. VASTO/xx
		White	In colour	
STORIA	Bath in Cast Stone	2365	3045	VASTO/xx



All prices in EUR




Item	Description	Price EUR		Art. NR. White / In colour
		White	In colour	
BELLA OVO 1700 x 800 mm h = 550 mm Volume: 275 l Weight: 111/93 kg Integrated push-open drain-overflow (included)	Bath in Cast Stone	2835	3675	VABELLO/xx
	Bath in Silkstone®	3730	4300	VABELLOS/xx
	Bath in GRAPHITE		5100	VABELLOS/01



FELICE 1945 x 830 mm h = 715 mm Volume: 280 l Weight: 128 kg Integrated push-open drain-overflow (included)	Bath in Silkstone®	4045	4620	VAFES/xx
	Bath in GRAPHITE		5515	VAFES/01

NOTE! FELICE bath requires a 50 mm recess in the floor for the drain
(see. installation manual www.paabaths.com)



All prices in EUR


QUADRO COLLECTION BATHS

CORE



Item	Description	Price EUR White	Art. NR. In colour
------	-------------	--------------------	-----------------------

QUADRO
1590x700 mm
h = 610 mm
Volume: 275 l
Weight: 104/115 kg
Integrated push-open
drain-overflow
(included)



A



D


QUADRO CORNER A/D	Bath in Cast Stone	2680	3730	VAQUACOA/xx, VAQUACOD/xx
1600x750 mm h = 600 mm Volume: 250 l Weight: 108/136 kg Integrated push-open drain-overflow (included)	Bath in Silkstone®	3465	3990	VAQUACOSA/xx, VAQUACOSD/xx
	Bath in GRAPHITE		4675	VAQUACOSA/01, VAQUACOSD/01

Optional:

Cut-outs for mixer taps

130

RURBSS / RURBPB




QUADRO WALL	Bath in Cast Stone	2680	3730	VAQUAWA/xx
1605x760 mm h = 600 mm Volume: 275 l Weight: 108/136 kg Integrated push-open drain-overflow (included)	Bath in Silkstone®	3465	3990	VAQUAWAS/xx
	Bath in GRAPHITE		4675	VAQUAWAS/01

Optional:

Cut-outs for mixer taps

130

RURBSS / RURPB



All prices in EUR




Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
------	-------------	--------------------	------------------------	-------------------------------



DECO NUDO
1660×725 mm
h = 630 mm
Volume: 240 l
Weight: 112 kg
Integrated
push-open
drain-overflow
(included)

Bath in Cast Stone*		2365	3045	VADENU/xx
Bath in Silkstone®*		3000	3570	VADENUS/xx
Bath in GRAPHITE			4360	VADENUS/01

* When ordering a tinted bath, the colour name must be indicated in the order notes, the entire bathtub is tinted (see Cast Stone colours on page 56 / Silkstone® tints on page 57).






DECO RIM
1660×810 mm
h = 630 mm
Volume: 240 l
Weight: 110 kg
Integrated
push-open
drain-overflow
(included)

Bath in Silkstone®*		3465	3990	VADERIS/xx
Bath in GRAPHITE			4675	VADERIS/01

The position of the towel holder (A or D, see drawing) must be indicated in the order notes.

* When ordering a tinted bath, the colour name must be indicated in the order notes, the entire bathtub is tinted (see Silkstone® tints on page 57).



DECO WALL
1660×810 mm
h = 630 mm
Volume: 240 l
Weight: 120 kg
Integrated
push-open
drain-overflow
(included)




Bath in Silkstone®*		3465	3990	VADEWAS/XX
Bath in GRAPHITE			4675	VADEWAS/01

Optional:

Cut-out for connection to the sewerage system (B/C)	120	RFREZZS
Cut-outs for mixer taps	130	RURBSS

* The location of the cut-outs for the mixer tap and the location of the sewerage hole must be indicated in the order notes. When ordering a tinted bath, the colour name must be indicated in the order notes, the entire bathtub is tinted (see Silkstone® tints on page 57).

Attention! According to an EU industry standard, not all mixer taps are suitable for placement on the edge of this bathtub.



All prices in EUR

DECO COLLECTION BATHS

CORE



DECO CORNER D, 1600x1270




DECO CORNER A, 1600x1270

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
DECO CORNER D/A, 1600x1270 mm h = 630 mm Volume: 240 l Weight: 120 kg Integrated push-open drain-overflow (included)	Bath in Silkstone® DECO CORNER D, 1600 x 1270*	4255	4885	VADECORSD/00
	Bath in Silkstone® DECO CORNER A, 1600 x 1270*	4255	4885	VADECORSA/00
Optional:				
	Cut-out for connection to the sewerage system (B/C)	120		RFREZSS
	Cut-outs for mixer taps	130		RURBSS

* Only the surface of a bathtub is tinted. The name of the tint must be indicated in the order notes (see Silkstone® tints on page 57). The location of the cut-outs for the mixer tap and the location of the sewerage hole must be indicated in the order notes.

Attention! According to an EU industry standard, not all mixer taps are suitable for placement on the edge of this bathtub. It is possible to install mixer taps if the side width of the surface is not less than 120 mm.



DECO CORNER D, 1600x1270

DECO CORNER A, 1600x1270




ANTICA
(Silkstone®) legs



ANTICA
(GRAPHITE) legs

VICTORIA 1700x830x610 mm h = 730, 680 mm Volume: 225 l Weight: 85 / 85 kg	Bath in Cast Stone, ANTICA legs in Cast Stone	3045	4100	VAVICA/xx
	Bath in Silkstone®, ANTICA legs in Silkstone®	3940		VAVISS/00
	Bath in Silkstone®, ANTICA legs in GRAPHITE	5250		VAVISG/00
Optional:				
	Drain-overflow in metal, chrome colour	430		SIFVVICM/H
	Drain-overflow in metal, bronze colour	685		SIFVVICM/B
	Drain-overflow in metal, gold colour	750		SIFVVICM/Z

* It is not possible to order the Victoria Cast Stone bathtub in Glossy Black colour.



All prices in EUR


Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
------	-------------	--------------------	------------------------	-------------------------------



DOLCE
1800×900 mm
h = 650 mm
Volume: 260 l
Weight: 145 / 148 kg

Bath in Silkstone®	4200		VADOS/00
Bath in GRAPHITE		5620	VADOS/01

Integrated push-open drain-overflow (included)




STEP
1700×890 mm
h = 650 mm
Volume: 375 l
Weight: 133 kg

Bath in Cast Stone	1945	2625	VASTE/xx
Drain-overflow chromed plastic	120	120	SIFVPAA80/00
TOTAL	2065	2745	

Optional:

Cut-outs for mixer tap	130	RURBPB
Drain-overflow black metal plastic	225	SIFVPAA80/01




BEL CANTO
1800×850 mm
h = 740 mm
Volume: 245 l
Weight: 100 kg

Bath in Cast Stone	1945	2625	VABEL/xx
Drain-overflow chromed plastic	120	120	SIFVPAA80/00
TOTAL	2065	2745	

Optional:

Push-open drain-overflow in chrome	400	SIFVBELM/H
Drain-overflow black metal plastic	225	SIFVPAA80/01





Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
BELLA 650x390 mm h = 160 mm Mounted on the surface without overflow	Washbasin in Cast Stone with drain	590	900	IBELL/xx
	Silkstone® washbasin with drain	645	820	IBELS/xx
	GRAPHITE washbasin with drain		945	IBELS/01
See Cast Stone colours on page 56 / Silkstone® tints on page 57.				



FELICE 690x375 mm h = 158 mm Mounted on the surface without overflow	Silkstone® washbasin with drain*	600	700	IFES/xx
	GRAPHITE washbasin with drain*		925	IFES/01
	* The surface of the drain cover is made of the same material and tint as the washbasin. See Silkstone® tints on page 57.			






AMORE 600x370 mm h = 195 mm Countertop washbasin, overflow not available	Washbasin in Cast Stone with drain*	560	735	IAMO/xx
	Silkstone® washbasin with drain*	600	800	IAMS/xx
	GRAPHITE washbasin with drain*		900	IAMS/01
* The surface of the drain cover is made of the same material and tint as the washbasin. See Cast Stone colours on page 56 / Silkstone® tints on page 57.				



PERLA 510x355 mm h = 142 mm Mounted on the surface without overflow	Washbasin in Cast Stone with drain	495	675	IPERL/xx
	Silkstone® washbasin with drain	560	735	IPERLS/xx
	GRAPHITE washbasin with drain		840	IPERLS/01
* The surface of the drain cover is made of the same material and tint as the washbasin. See Cast Stone colours on page 56 / Silkstone® tints on page 57.				

All prices in EUR

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
QUADRO ON 555×335 mm h = 125 mm Mountable on the wall or on the surface without overflow	Washbasin in Cast Stone with drain Silkstone® washbasin with drain GRAPHITE washbasin with drain	495 560 840	675 735 840	IQUAON/xx IQUASON/xx IQUASON/01
	Tinted whole washbasin. See Cast Stone colours on page 56 / Silkstone® tints on page 57.			
				
QUADRO 700×430 mm h = 137 mm Mountable on the wall or on the surface without overflow	Washbasin in Cast Stone with drain Silkstone® washbasin with drain GRAPHITE washbasin with drain	590 645 945	780 820 945	IQUA/xx IQUAS/xx IQUAS/01
	Washbasin with integrated wall mountings. Tinted whole washbasin. See Cast Stone colours on page 56 / Silkstone® tints on page 57.			
				
DEC0 ø 450 mm h = 122 mm Countertop washbasin, overflow not available	Washbasin in Cast Stone with drain* Silkstone® washbasin with drain* GRAPHITE washbasin with drain*	445 505 840	580 675 840	IDECS/xx IDECS/xx IDECS/01
	To install the washbasin on the surface - additional min. Ø120 mm cut-out in surface should be drilled			
	* The surface of the drain cover is made of the same material and tint as the washbasin. See Silkstone® tints on page 57.			
				
				* Drain

All prices in EUR



Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
ROUND ON ø 410 mm h = 140 mm Countertop washbasin, overflow not available	Washbasin in Cast Stone	320	555	IROON/xx
	Silkstone® washbasin with drain*	420	585	IROSON/xx
	GRAPHITE washbasin with drain*		695	IROSON/01

* The surface of the drain cover is made of the same material and tint as the washbasin.
See Cast Stone colours on page 56 / Silkstone® tints on page 57.



OVO IN 550×372 mm h = 170 mm Drop-in washbasin Overflow available optionally	Washbasin in Cast Stone*	300	460	I0VIN/xx
	Silkstone® washbasin*	375	505	I0VSIN/xx
	GRAPHITE washbasin*		630	I0VSIN/01



ROUND IN ø 440 mm h = 140 mm Drop-in washbasin Overflow available optionally	Washbasin in Cast Stone*	305	485	IROIN/xx
	Silkstone® washbasin*	390	540	IROSIN/xx
	GRAPHITE washbasin*		665	IROSIN/01








OPUS IN 520×320 mm h = 130 mm Drop-in washbasin Overflow available optionally	Silkstone® washbasin*	400	495	I0PSIN/xx
	GRAPHITE washbasin*		600	I0PSIN/01



*Permanent
open drain with
Silkstone® cover

* Optional:

Permanent open drain in metal, chrome colour cover	100	100	L2264
Permanent open drain with Silkstone® cover	100	100	DEIZSNOP/xx
Permanent open drain with GRAPHITE		105	DEIZSNOP/01
Permanent open drain with Cast Stone cover	100	105	DKIZPBNOP/xx

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour	
	DO 22 ø 220 mm h = 108 mm Mountable on the surface, overflow not available	Washbasin in Cast Stone* Silkstone® washbasin* GRAPHITE washbasin* Shelf for DO 22 washbasin in Silkstone**	195 190 325 265	260 290 325 325	ID0/xx IDOS/xx IDOS/01 IDOPS/xx
		** Shelf with integrated screw places for wall mounting			
					
	DO 25 ø 250 mm h = 120 mm Mountable on the surface, overflow not available	Washbasin in Cast Stone* Silkstone® washbasin* GRAPHITE washbasin*	225 240 345	295 295 345	ID025/xx IDOS25/xx IDOS25/01
					
	DO 28 ø 280 mm h = 120 mm Mountable on the surface, overflow not available	Washbasin in Cast Stone* Silkstone® washbasin* GRAPHITE washbasin*	260 270 365	345 315 365	ID028/xx IDOS28/xx IDOS28/01
					
	RE A/D 400×210 mm h = 140 mm Mountable on the wall or on the surface, overflow not available	Silkstone® washbasin* (left/right side) Washbasin with integrated screw places for wall mounting	300		IRES/A/00; IRES/D/00
					
	MI A/D 400×210 mm h = 140 mm Mountable on the wall or on the surface, overflow not available	Silkstone® washbasin* (left/right side) Washbasin with integrated screw places for wall mounting	300		IMIS/A/00; IMIS/D/00
					

* Optional:



* Permanent open drain with Silkstone® cover

Permanent open drain with Silkstone® cover	100	100	DEIZSNOP/xx
Permanent open drain with Cast Stone cover	100	105	DKIZPBNOP/xx

All prices in EUR




SMART COLLECTION BATHS

NEW!




SMART 150

1500×750 mm
h = 600 mm
Volume: 228 l
Weight: 88 kg






Availability: Bathtub SMART 150 available for ordering – 2nd quarter

NEW!



SMART 160

1600×750 mm
h = 600 mm
Volume: 250 l
Weight: 93 kg






Availability: SMART 160 available for ordering – 3rd quarter

NEW!




SMART 170

1700×750 mm
1600-1700×750 mm
h = 600 mm
Volume: 250 l
Weight: 96 kg






Availability: SMART 170 available for ordering – 1st quarter

NEW!



SMART 180

1800×750 mm
1700-1800×750 mm
h = 600 mm
Volume: 271 l
Weight: 103 kg



Availability: SMART 180 available for ordering – 2nd quarter


ROOT

Item	Description	Price EUR		Art. NR. White / In colour
		White	In colour	
Smart collection rectangular bathtub	Bath in Cast Stone, SMART 150 (1500 × 750)	1100	1400	VASMA150/xx
	Bath in Cast Stone, SMART 160 (1600 × 750)	1285	1655	VASMA160/xx
	Bath in Cast Stone, SMART 170 (1700 × 750)	1470	1870	VASMA170/xx
	Bath in Cast Stone, SMART 180 (1800 × 750)	1660	2115	VASMA180/xx
	Shortening the bathtub length to min. (see drawing)*	145		RVSA


* Attention! The cut edges will be rough and unfinished, intended for installation in a niche.




SMART 150 (1500 × 750)




SMART 160 (1600 × 750)





SMART 170 (1700 × 750)



SMART 180 (1800 × 750)



All prices in EUR




Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
Smart collection bathtubs with 1 rounded corner	Bath in Cast Stone, SMART 150 A (1500 x 750)	1245	1545	VASMA150A/xx
	Bath in Cast Stone, SMART 150 D (1500 x 750)	1245	1545	VASMA150D/xx
	Bath in Cast Stone, SMART 160 A (1600 x 750)	1430	1800	VASMA160A/xx
	Bath in Cast Stone, SMART 160 D (1600 x 750)	1430	1800	VASMA160D/xx
	Bath in Cast Stone, SMART 170 A (1700 x 750)	1615	2015	VASMA170A/xx
	Bath in Cast Stone, SMART 170 D (1700 x 750)	1615	2015	VASMA170D/xx
	Bath in Cast Stone, SMART 180 A (1800 x 750)	1805	2260	VASMA180A/xx
	Bath in Cast Stone, SMART 180 D (1800 x 750)	1805	2260	VASMA180D/xx
				
Smart collection bathtubs with 2 rounded corners	Bath in Cast Stone, SMART 150 AD (1500 x 750)	1390	1690	VASMA150AD/xx
	Bath in Cast Stone, SMART 160 AD (1600 x 750)	1575	1945	VASMA160AD/xx
	Bath in Cast Stone, SMART 170 AD (1700 x 750)	1760	2160	VASMA170AD/xx
	Bath in Cast Stone, SMART 180 AD (1800 x 750)	1950	2405	VASMA180AD/xx
				
Smart collection bathtub components:				
Drain-overflow chromed plastic		120		SIFVPA80/00
Drain-overflow black metal plastic		225		SIFVPA80/01

All prices in EUR

VARIO COLLECTION BATHS






VARIO M
1600×750 mm
1500-1600×750 mm
h = 565 mm
Volume: 200 l
Weight: 100 kg



* For a standard drain-overflow bathtub (Art.NO. SIFVPA80/xx) the minimum length is 1510 mm






VARIO L
1700×750 mm
1600-1700×750 mm
h = 625 mm
Volume: 220 l
Weight: 107 kg



* For a standard drain-overflow bathtub (Art.NO. SIFVPA80/xx) the minimum length is 1610 mm



VARIO XL
1850×800 mm
1750-1850×800 mm
h = 635 mm
Volume: 240 l
Weight: 135 kg



Item	Description	Price EUR	Art. NR.
		White	In colour

Vario collection
rectangular bathtub



Bath in Cast Stone, VARIO M 1600 × 750 *

1260 1630 VAVARM/xx

Bath in Cast Stone, VARIO L 1700 × 750 *

1410 1800 VAVARL/xx


Bath in Cast Stone, VARIO XL 1850 × 800

1735 2040 VAVARXL/xx


Shortening the bathtub length to min. (see drawing)

145 RVSA


VARIO M 1600 × 750



VARIO L 1700 × 750



VARIO XL 1850 × 800



Vario collection
free-standing bathtubs



Bath in Cast Stone, VARIO M 1560 × 750 mm ABCD




1820 2190 VAVARMABCD/xx

Bath in Cast Stone, VARIO L 1660 × 750 mm ABCD

1970 2360 VAVARLABCD/xx

Bath in Cast Stone, VARIO XL 1750 × 800 mm ABCD

2295 2600 VAVARXLABCD/xx



Vario collection bathtub components:

Drain-overflow chromed plastic * (Vario M, L, XL)

120 SIFVPA80/00

Drain-overflow black metal plastic * (Vario M, L, XL)

120 SIFVPA80/01

Drain-overflow in metal, chrome colour (Vario M)

260 SIFVVARM/H




Drain-overflow in metal, chrome colour (Vario L)

260 SIFVVARL/H

Drain-overflow in metal, chrome colour (Vario XL)

400 SIFVBELM/H

All prices in EUR

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
Vario collection bathtubs with 1 rounded corner	Bath in Cast Stone, VARIO M 1580 x 750 A *	1400	1770	VAVARMA/xx
	Bath in Cast Stone, VARIO M 1580 x 750 B *	1400	1770	VAVARMB/xx
	Bath in Cast Stone, VARIO M 1580 x 750 C *	1400	1770	VAVARMC/xx
	Bath in Cast Stone, VARIO M 1580 x 750 D *	1400	1770	VAVARMD/xx
	Bath in Cast Stone, VARIO L 1680 x 750 A **	1550	1940	VAVARLA/xx
	Bath in Cast Stone, VARIO L 1680 x 750 B **	1550	1940	VAVARLB/xx
	Bath in Cast Stone, VARIO L 1680 x 750 C **	1550	1940	VAVARLC/xx
	Bath in Cast Stone, VARIO L 1680 x 750 D **	1550	1940	VAVARLD/xx
	Bath in Cast Stone, VARIO XL 1800 x 800 A	1875	2180	VAVARXLA/xx
	Bath in Cast Stone, VARIO XL 1800 x 800 D	1875	2180	VAVARXLD/xx
Shortening the bathtub length to min. (see drawing)		145		RVSA
				
Vario collection bathtubs with 2 rounded corners	Bath in Cast Stone, VARIO M 1560 x 750 AD	1540	1910	VAVARMAD/xx
	Bath in Cast Stone, VARIO M 1560 x 750 BC	1540	1910	VAVARMBC/xx
	Bath in Cast Stone, VARIO L 1660 x 750 AD	1690	2080	VAVARLAD/xx
	Bath in Cast Stone, VARIO L 1660 x 750 BC	1690	2080	VAVARLBC/xx
	Bath in Cast Stone, VARIO XL 1755 x 800 AD	2015	2320	VAVARXLAD/xx
				
Vario collection bathtubs with 2 rounded corners at the end	Bath in Cast Stone, VARIO M 1580 x 750 AB	1540	1910	VAVARMAB/xx
	Bath in Cast Stone, VARIO L 1680 x 750 AB	1690	2080	VAVARLAB/xx
	Bath in Cast Stone, VARIO XL 1800 x 800 AB	2015	2320	VAVARXLAB/xx
	Bath in Cast Stone, VARIO XL 1800 x 800 CD	2015	2320	VAVARXLCD/xx
				

All prices in EUR

UNO, TRE COLLECTION BATHS



Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
UNO 150 1500×750 mm h = 640 mm Volume: 210 l Weight: 83 kg	Bath in Cast Stone	1045	1475	VAUNO/xx
	Front panel, small	105	170	PAUNOM/xx
	Drain-overflow chromed plastic	120	120	SIFVPA80/00
	TOTAL	1270	1765	
Optional:				
	Drain-overflow in metal, chrome colour	260		SIFVUNO/H



UNO 170 1700×750 mm h = 640 mm Volume: 240 l Weight: 90 kg	Bath in Cast Stone	1145	1555	VAUNOGR/xx
	Front panel, small	120	170	PAUNOGRM/xx
	Drain-overflow chromed plastic	120	120	SIFVPA80/00
	TOTAL	1385	1845	
Optional:				
	Drain-overflow in metal, chrome colour	260		SIFVUNO/H



A (Left side)




D (Right side)








All prices in EUR

TRE 150 A/D 1500×1000 mm h = 640 mm Volume: 240 l Weight: 92 kg	Bath in Cast Stone (left/right side)	1135	1540	VATRE/A/xx; VATRE/D/xx
	Front panel, small	120	170	PATREM/xx
	Drain-overflow chromed plastic	120	120	SIFVPA80/00
	TOTAL	1375	1830	

Optional:




Front panel, high (left/right side)	245	380	PATREA/A/xx; PATREA/D/xx
-------------------------------------	-----	-----	--------------------------









Item	Description	Price EUR White	Art. NR. In colour
	Bath in Cast Stone (left/right side) 1700×1000 mm h = 650 mm Volume: 270 l Weight: 106 kg	1255 120 120 TOTAL	1665 150 120 1495
	Front panel, small	120	150
	Drain-overflow chromed plastic	120	SIFVPA80/00
	Optional: Front panel, high (left/right side)	245	380
	PATREGRA/A/xx; PATREGRA/D/xx		
			
			
			
			
	VERSO 1700×750 mm h = 640 mm Volume: 225 l Weight: 72 kg	1345 1485 1485 1625	1735 1875 1875 2015
	Verso rectangular bath with panel	1345	VAVER/xx
	Verso A - bath with rounded corner and panel	1485	VAVERA/xx
	Verso D - bath with rounded corner and panel	1485	VAVERD/xx
	Verso AD - bath with 2 rounded corners and panel	1625	VAVERAD/xx
	Optional: Drain-overflow chromed plastic	120	SIFVPA80/00
			
			
	Optional: Drain-overflow black metal plastic (UNO 150, UNO 170, TRE 150 A/D, TRE 170 A/D, VERSO)	225	SIFVPA80/01

CLARO - WASHBASINS ON WASHING MACHINES

ROOT


Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
	CLARO MINI 600×500 mm h = 90 mm Maximum depth of washing machine 370 mm Overflow option not available	Cast Stone wasbasin with kit* Optional: Soap tray of another colour	455 70	630 100 KICLAMISIF/xx DEIZTCLAMI/xx
				* Kit contains: soap tray, drain with outlet for washing machine, 2 white brackets
	CLARO 600×600 mm h = 90 mm Maximum depth of washing machine 470 mm Overflow option not available	Cast Stone wasbasin with kit* Optional: Soap tray of another colour	475 70	640 100 KICLASIF/xx DEIZTCLA/xx
				* Kit contains: soap tray, drain with outlet for washing machine, 2 white brackets
	CLARO GRANDE 600×750 mm h = 100 mm Maximum depth of washing machine 600 mm Overflow option not available	Cast Stone wasbasin with kit* Optional: Soap tray of another colour	620 70	785 100 KICLAGRSIF/xx DEIZTCLAGR/xx
				* Kit contains: soap tray, drain with outlet for washing machine, 2 white brackets
				Brackets.
				Brackets.
				Brackets.


All prices in EUR

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
LONG STEP 70 700×490 mm h = 110 mm	Washbasin in Cast Stone Washbasin with integrated screw places	360	495	ILS700/xx
				
LONG STEP 100 1000×490 mm h = 110 mm	Washbasin in Cast Stone Optional: Brackets, 2 pcs., white or satin colour Brackets, 2 pcs., stainless steel	435	570	ILS1000/xx
		200	420	IZKLS/00; IZKLS/01 IZKLS/NT
LONG STEP 150 1500×490 mm h = 110 mm	Washbasin in Cast Stone - right side basin Washbasin in Cast Stone - left side basin Washbasin in Cast Stone - centered basin Optional: Brackets, 2 pcs., white or satin colour Brackets, 2 pcs., stainless steel	590	700	ILS1500/D/xx
		590	700	ILS1500/A/xx
		590	700	ILS1500/xx
		200	420	IZKLS/00; IZKLS/01 IZKLS/NT
	LONG STEP 1500/A	LONG STEP 1500/D	LONG STEP 1500	
LONG STEP DUO 2010×490 mm h = 110 mm	Double Washbasin in Cast Stone Optional: Brackets, 3 pcs., white or satin colour Brackets, 3 pcs., stainless steel	800	925	ILSW/xx
		250	610	IZKLSW/00; IZKLSW/01 IZKLSW/NT
				
	Stainless steel brackets for washbasins LONG STEP 100, LONG STEP 150, LONG STEP DUO			






All prices in EUR

LOTTO MINI / LOTTO - WASHBASINS

Item	Description	Price EUR	Art. NR.
		White	In colour
LOTO MINI 500-1200×400 mm h = 18 mm Mountable on the wall or on furniture. Overflow not available.	Washbasin in Cast Stone		
	LOTO MINI 50 (500 mm)	360	505 IMLOT500/xx
	LOTO MINI 60 (600 mm)	390	540 IMLOT600/xx
	LOTO MINI 70 (700 mm)	420	570 IMLOT700/xx
	LOTO MINI 80 (800 mm)	435	590 IMLOT800/xx
	LOTO MINI 100 (1000 mm)	465	610 IMLOT1000/xx
	LOTO MINI 120 (1200 mm)	495	645 IMLOT1200/xx
	LOTO MINI 50-120 (500-1200 mm*)	540	700 IMLOT500-1200/xx
	Optional:		
	Bracket, 310 mm 1 pc., white	75	IZKSS310GB1/00
	Permanent open drain in metal, chrome colour cover	100	L2264
	Permanent open drain with Cast Stone cover	100	DKIZPBNOP/xx
	* LOTO MINI washbasin is available in custom length from 500 to 1200 mm		
			
			

LOTO 600-1200×490 mm h = 18 mm Mountable on the wall or on furniture. Overflow not available.	Washbasin in Cast Stone		
	LOTO 60 (600 mm)	390	540 ILOT600/xx
	LOTO 70 (700 mm)	420	570 ILOT700/xx
	LOTO 80 (800 mm)	435	590 ILOT800/xx
	LOTO 100 (1000 mm)	465	610 ILOT1000/xx
	LOTO 120 (1200 mm)	495	645 ILOT1200/xx
	LOTO 60-120 (600-1200 mm*)	540	700 ILOT600-1200/xx
	Optional:		
	Bracket, 400 mm 1 pc., white	75	IZKSS400GB1/00
	Permanent open drain in metal, chrome colour cover	100	L2264
	Permanent open drain with Cast Stone cover	100	DKIZPBNOP/xx
	* LOTO washbasin is available in custom length from 600 to 1200 mm		
			
			

All prices in EUR

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
	SAMBA 55 545×375 mm h = 139 mm	Washbasin in Cast Stone Optional: Brackets, 2 pcs., white	265 75	445 IZKSA/00
				 Brackets
	SAMBA 70 695×375 mm h = 139 mm	Washbasin in Cast Stone Optional: Brackets, 2 pcs., white	330 75	520 IZKSA/00
				 Brackets
	STEP MINI 470×310 mm h = 105 mm without overflow	Washbasin in Cast Stone Optional: Brackets, 2 pcs., white	210 65	375 IZKMST/00
		Cut-out for mixer tap available only on right side		 Brackets
	STEP 600×500 mm h = 120 mm	Washbasin in Cast Stone Optional: Brackets, 2 pcs., white	330 60	465 IZKTR/00
				 Brackets
	VARIO 595×470 mm h = 150 mm Mountable on the wall or on the surface	Washbasin in Cast Stone Washbasin with integrated screw places	360	495 IVAR/xx
				

All prices in EUR


CAST STONE SHOWER TRAYS

ROOT

Item	Description	Price EUR	Art. NR.
		White	In colour
CLASSIC KV 800×800 mm 900×900 mm 1000×1000 mm h = 165 mm	CLASSIC KV80 with kit CLASSIC KV90 with kit CLASSIC KV100 with kit Optional - Siphon TurboFlow, ø 90 mm	375 420 510 65	KDPCLKV80/00 KDPCLKV90/00 KDPCLKV100/00 0205302



Kit contains: shower tray, panel and adjustable legs




Siphon TurboFlow,
ø 90 mm



CLASSIC RO 800×800 mm 900×900 mm 1000×1000 mm h = 165 mm	CLASSIC RO 80 R 550 with kit CLASSIC RO 90 R 550 with kit CLASSIC RO 90 R 500 with kit CLASSIC RO 100 R 550 with kit Optional - Siphon TurboFlow, ø 90 mm	375 420 420 530 65	KDPCLR080/00 KDPCLR090R550/00 KDPCLR090R500/00 KDPCLR100/00 0205302
---	---	--------------------------------	---



Siphon TurboFlow,
ø 90 mm




CLASSIC NEW 900×900 mm h = 154 mm	CLASSIC NEW RO 90 R 550 with kit Optional - Siphon TurboFlow, ø 60 mm	420 65	KDPCLNR090/00 0205243
--	--	-----------	--------------------------

Kit contains: shower tray, panel and adjustable legs



Siphon TurboFlow,
ø 60 mm



All prices in EUR




Siphon TurboFlow,
ø 90 mm

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
------	-------------	--------------------	------------------------	-------------------------------


ART KV
800×800 mm
900×900 mm
1000×1000 mm
h = 135 mm

ART KV 80 with kit	345	485	KDPARTKV80/xx
ART KV 90 with kit	375	530	KDPARTKV90/xx
ART KV 100 with kit	565	700	KDPARTKV100/xx
Optional - Siphon TurboFlow, ø 90 mm	65		0205302


Kit contains: shower tray, panel and adjustable legs



ART KV 80



ART KV 90



ART KV 100




Siphon TurboFlow,
ø 90 mm


ART RO
800×800 mm
900×900 mm
1000×1000 mm
h = 135 mm

ART RO 80 R 550 with kit	375	485	KDPARTRO80/xx
ART RO 90 R 550 4W with kit	400	530	KDPARTRO90R550W/xx
ART RO 90 R 500 with kit	400	530	KDPARTRO90R500/xx
ART RO 100 R 550 with kit	565	675	KDPARTRO100/xx
Optional - Siphon TurboFlow, ø 90 mm	65		0205302


Kit contains: shower tray, panel and adjustable legs




ART RO 80 R 550




ART RO 90 R 550 4W



ART RO 90 R 500




ART RO 100 R 550




ART
800×1200 mm
900×1200 mm
h = 135 mm

ART 80×120 with kit	530	700	KDPART80X120/xx
ART 90×120 with kit	585	730	KDPART90X120/xx
Optional - Siphon TurboFlow, ø 90 mm	65		0205302


Kit contains: shower tray, panel and adjustable legs



ART 80×120




ART 90×120




CAST STONE SHOWER TRAYS

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
	LARGO 80 x 100 with kit	495	645	KDPLARG80x100/00
LARGO 800×1000 mm 800×1400 mm 800×1600 mm 800×1700 mm 900×1100 mm h = 135 mm	LARGO 80 x 140 with kit	590	715	KDPLARG80x140/00
	LARGO 80 x 160 with kit	700	820	KDPLARG80x160/xx
	LARGO 80 x 170 with kit	750	960	KDPLARG80x170/xx
	LARGO NEW 90 x 110 with kit*	560	700	KDPLARG90X110/xx
LARGO 80×100	Optional - Siphon TurboFlow, ø 90 mm	65		0205302


* LARGO NEW 90x110 shower tray surface without standard grip
Kit contains: shower tray, panel and adjustable legs




LARGO 80×100




LARGO 80×140



LARGO 80×160



LARGO 80×170



LARGO NEW 90×110*

Siphon TurboFlow,
ø 90 mm

All prices in EUR


Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
LETTERA Cast stone shower tray with a textured and matte surface.	LETTERA 80 x 100 with kit*	615	800	KDPLET80X100/xx
800 x 1000 mm	LETTERA 80 x 120 with kit*	650	840	KDPLET80X120/xx
800 x 1200 mm	LETTERA KV 90 with kit*	545	700	KDPLETKV90/xx
900 x 900 mm	LETTERA 90 x 100 with kit*	650	840	KDPLET90X100/xx
900 x 1000 mm	LETTERA 90 x 120 with kit*	700	915	KDPLET90X120/xx
900 x 1200 mm	LETTERA KV 100 with kit*	700	915	KDPLETKV100/xx
1000 x 1000 mm	LETTERA 100 x 120 with kit*	735	960	KDPLET100X120/xx
1000 x 1200 mm	* The set includes: a cast stone shower tray, siphon, adjustable legs, as well as a panel and a drain cover in the color of the shower tray. Colours on page 56.			
<i>h = 30/ 135 mm (with a panel)</i>	LETTERA 80 x 100**	495	645	DPLET80X100/xx
	LETTERA 80 x 120**	545	700	DPLET80X120/xx
	LETTERA KV 90**	440	570	DPLETKV90/xx
	LETTERA 90 x 100**	545	700	DPLET90X100/xx
	LETTERA 90 x 120**	600	780	DPLET90X120/xx
	LETTERA KV 100**	600	780	DPLETKV100/xx
	LETTERA 100 x 120**	630	820	DPLET100X120/xx
** Shower tray with color matching drain cover. Colours on page 56.				
Optional:				
LETTERA drain cover in stainless steel, satin white				35 DKDPLET/00
LETTERA drain cover in stainless steel, satin black				50 DKDPLET/01
LETTERA drain cover in stainless steel, semi-matt metal				50 DKDPLET/02
Siphon LETTERA 90 mm				65 HS1



Siphon HS1,
ø 90 mm



LETTERA
drain cover
130x130mm



All prices in EUR

Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
------	-------------	--------------------	------------------------	-------------------------------



DECO SHAPE

Made to Measure
1660-2500 x 725-1275 mm
h = 630 mm
Volume: 240 l
Weight: 130 kg
Integrated push-open drain-overflow (included).

Bath in Silkstone®, 1660-1800 x 725-850 mm*

4200 4935 VADESHM/xx

Bath in Silkstone®, 1660-2500 x 725-1275 mm*




4935 5670 VADESHL/xx

* The surface of the DECO SHAPE bathtub is made to the exact measurements and shape provided by the client, therefore a drawing of the bathtub must be included in the order (see page 54).
Corner roundings, cuttings and cut-outs are included in the price.
Only the surface of a bathtub is tinted (see Silkstone® tints on page 57).

Not all bathtub sizes have a tinted surface (should be agreed upon).

Cut-outs for the mixer tap and sewer connection are included in the price.

It is possible to install mixer taps if the side width of the surface is not less than 120 mm.
The minimum surface area around the bathtub is shown in the drawing below.



minimum surface around the tub



DECO SHAPE RE

1700-2000 x 825 mm
h = 630 mm
Volume: 240 l
Weight: 110 kg
Integrated push-open drain-overflow (included)




Bath in Silkstone®, 1700-2000 x 825 mm*

4150 4885 VADESHRE/xx

* The surface length of the DECO SHAPE RE bathtub is adjusted according to the measurements provided by the client, therefore, when placing an order, it is mandatory to attach a drawing that indicates the length of the bathtub and the location of the mixer tap cut-outs with their measurements, if necessary (see page 54).

Only the surface of a bathtub is tinted. The name of the tint must be indicated in the order notes (see Silkstone® tints on page 57).

Cut-outs for the mixer tap and sewer connection are included in the price, their location must be indicated in the drawing.



Item	Description	Price EUR White	Price EUR In colour	Art. NR. White / In colour
------	-------------	--------------------	------------------------	-------------------------------



DECO SHAPE RE A, 1700-2000x825

DECO SHAPE RE A

1700-2000x825 mm

h = 630 mm

Volume: 240 l

Weight: 112 kg

Integrated push-open
drain-overflow (included)

Bath in Silkstone®, 1700-2000 x 825 mm*

4150




4885

VADESHREA/xx

* The surface length of the DECO SHAPE RE A bathtub is adjusted according to the measurements provided by the client, therefore, when placing an order, it is mandatory to attach a drawing that indicates the length of the bathtub and the location of the mixer tap cut-outs with their measurements, if necessary (see page 54).

Only the surface of a bathtub is tinted. The name of the tint must be indicated in the order notes (see Silkstone® tints on page 57).

Cut-outs for the mixer tap and sewer connection are included in the price, their location must be indicated in the drawing.

**DECO SHAPE RE D**

1700-2000x825 mm

h = 630 mm

Volume: 240 l

Weight: 112 kg

Integrated push-open
drain-overflow (included)

Bath in Silkstone®, 1700-2000 x 825 mm*

4150




4885

VADESHRED/xx

* The surface length of the DECO SHAPE RE D bathtub is adjusted according to the measurements provided by the client, therefore, when placing an order, it is mandatory to attach a drawing that indicates the length of the bathtub and the location of the mixer tap cut-outs with their measurements, if necessary (see page 54).

Only the surface of a bathtub is tinted. The name of the tint must be indicated in the order notes (see Silkstone® tints on page 57).

Cut-outs for the mixer tap and sewer connection are included in the price, their location must be indicated in the drawing.



MADE TO MEASURE SILKSTONE® WASHBASINS

Example with OPUS MINI basin



OPUS MINI 600×420×100
OPUS MINI basin,
H = 100 mm, integrated brackets
Price € 830

Price table for OPUS MINI basins

Surface edges height (H), mm	Length of surface (L), mm									Non-standard sizes & shapes
	450-550	551-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	630	700	770	845	915	985	1070	1155	1240	
H = 30-100, Matte White, 1 basin included	745	830	915	1000	1085	1170	1255	1340	1425	Upon request
H = 110-150, Matte White, 1 basin included	855	955	1055	1155	1255	1355	1455	1555	1800	
H = 25, all tinted, 1 basin included*	945	1030	1130	1220	1300	1415	1530	1630	1740	
H = 30-100, all tinted, 1 basin included*	1060	1160	1275	1375	1470	1600	1715	1815	1925	Upon request
H = 110-150, all tinted, 1 basin included*	1170	1285	1415	1530	1640	1785	1915	2030	2155	

Optional:

Each subsequent basin (Matte White / Tinted)**	315 / 430								Upon request	
Backwall rim, h = 30 mm (always in surface tint)	190									
Wall panel, h = 60 - 200 mm	Matte White	100	130	160	190	215	245	275	330	360
	tinted	130	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	190	260	315	375	430	485	545	600	660
	tinted	230	300	360	430	500	570	645	715	785
Towel holder (per unit)***	100									
Rounding (only, if H = 25) or cutting of a corner	100									
Additional bracket, 400 mm, white (per unit)****	65									
Preparation of drawings / 2D / 3D before product manufacture*****	90									
Outline milling on the surface (1 pcs.)	75									
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	105									
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100									

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 900 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 450 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.




The order must be accompanied by a completed Order form for *Made to Measure* washbasins (see page 41).

There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive line will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.

Sizes of OPUS MINI washbasins

OPUS MINI
305×265 mm



Additional
brackets
(400 mm)

* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm

** W1 = (min-max) size when the mixer from the wall
W2 = (min-max) size when the mixer is placed on the surface of the sink.

Examples with OPUS basin



OPUS 1200×450×100
OPUS basin,
H = 100 mm, cut corner,
integrated brackets
Price € 1100 (1000+100)



OPUS DUO 1200×450×150
2 OPUS basins,
H = 150 mm, towel holder,
backwall rim, integrated brackets
Price € 1760 (1155+315+190+100)

Price table for OPUS basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	600-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	700	770	845	915	985	1070	1155	1240	
H = 30-100, Matte White, 1 basin included	830	915	1000	1085	1170	1255	1340	1425	Upon request
H = 110-150, Matte White, 1 basin included	955	1055	1155	1255	1355	1455	1555	1655	
H = 25, all tinted, 1 basin included*	1030	1130	1220	1300	1415	1530	1630	1740	
H = 30-100, all tinted, 1 basin included*	1160	1275	1375	1470	1600	1715	1815	1925	Upon request
H = 110-150, all tinted, 1 basin included*	1285	1415	1530	1640	1785	1915	2030	2155	

Optional:

Each subsequent basin (Matte White / Tinted)**	315 / 430								Upon request	
Backwall rim, h = 30 mm (always in surface tone)	190									
Wall panel, h = 60 - 200 mm	130 160 190 215 245 275 330 360									
Matte White	160 190 215 260 300 330 385 430									
tinted	260 315 375 430 485 545 600 660									
Wall panel, h = 201 - 400 mm	300 360 430 500 570 645 715 785									
Matte White	300 360 430 500 570 645 715 785									
tinted	100									
Towel holder (per unit)***	100									
Rounding (only, if H = 25) or cutting of a corner	100									
Additional bracket, 400 mm, white (per unit)****	65									
Preparation of drawings / 2D / 3D before product manufacture*****	90									
Outline milling on the surface (1 pcs.)	75									
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	105									
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100									

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than: 1200 mm;

*** The towel holder is available if the height of the surface edge (H) is 100 mm and the distance from the side edge of the washbasin to the centre of the basin (A, B ≥ 350 mm);

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).

There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive line will be visible.


See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/-5 mm.

Sizes of OPUS washbasins

OPUS


470×270 mm

Front side integrated overflow




* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm



A + B ≥ 600 mm
A + B + C ≥ 1200 mm

** W1=(min-max) size when the mixer from the wall
W2=(min-max) size when the mixer is placed on the surface of the sink.



Additional brackets (400 mm)

MADE TO MEASURE SILKSTONE® WASHBASINS

Examples with OPUS GRANDE basins



OPUS GRANDE 1200×500×100
OPUS GRANDE basin,
H = 100 mm, integrated brackets
Price € 1100



OPUS GRANDE 1450×550×150
2 OPUS GRANDE basins,
H = 150 mm, backwall rim,
towel holder, integrated brackets
Price € 2105 (1455 + 360 + 190 + 100)

Price table for OPUS GRANDE basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	700-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	815	900	985	1070	1155	1240	1330	1415	
H = 30-100, Matte White, 1 basin included	930	1015	1100	1185	1270	1355	1440	1525	Upon request
H = 110-150, Matte White, 1 basin included	1000	1115	1230	1340	1455	1570	1685	1800	
H = 25, all tinted, 1 basin included*	1190	1300	1400	1500	1630	1740	1845	1960	
H = 30-100, all tinted, 1 basin included*	1305	1415	1515	1615	1745	1855	1955	2070	Upon request
H = 110-150, all tinted, 1 basin included*	1375	1515	1645	1770	1930	2070	2200	2345	
Optional:									
Each subsequent basin (Matte White / Tinted)**				360 / 515					
Backwall rim, h = 30 mm (always in surface tone)					190				
Wall panel, h = 60 - 200 mm	Matte White	130	160	190	215	245	275	330	360
	tinted	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	260	315	375	430	485	545	600	660
	tinted	300	360	430	500	570	645	715	785
Towel holder (per unit)***				100					
Rounding (only, if H = 25) or cutting of a corner				100					Upon request
Additional bracket, 480 mm, white (per unit)****				65					
Preparation of drawings / 2D / 3D before product manufacture*****				90					
Outline milling on the surface (1 pcs.)				75					
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover				105					
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover				100					

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1400 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 700 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).

There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.


See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.

Sizes of OPUS GRANDE washbasins

OPUS GRANDE


600×334 mm

Front side integrated overflow




* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm.



**W1=(min-max) size when the mixer from the wall
W2=(min-max) size when the mixer is placed on the surface of the sink.



Additional
brackets
(480 mm)

Examples with STRETTO basins



STRETTO 550x300x150
STRETTO basin,
H = 150 mm, integrated brackets
Price € 800



STRETTO DUO 1200x300x150
2 STRETTO basins,
H = 150 mm, integrated brackets
Price € 1415 (1100 + 315)

Price table for STRETTO basins

Surface edges height (H), mm	Length of surface (L), mm									Non-standard sizes & shapes
	500-550	551-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 150, Matte White, 1 basin included	800	900	1000	1100	1200	1300	1400	1500	1600	Upon request
H = 150, all tinted, 1 basin included*	1085	1200	1330	1445	1560	1700	1830	1945	2075	Upon request
Optional:										
Each subsequent basin (Matte White / Tinted)**	315 / 400									Upon request
Backwall rim, h = 30 mm (always in surface tone)	190									
Wall panel, h = 60 - 200 mm	Matte White	100	130	160	190	215	245	275	330	360
	tinted	130	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	190	245	330	375	460	500	545	615	685
	tinted	230	300	360	430	500	570	645	715	785
Towel holder (per unit)***	100									
Rounding (only, if H = 25) or cutting of a corner	100									
Preparation of drawings / 2D / 3D before product manufacture****	90									
Outline milling on the surface (1 pcs.)	75									
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100									

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1050 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 500 mm;

**** Technical advice on drawing processing, surface assembly and drawing coordination.

Integrated brackets are included in complextation.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).

There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/-5 mm.

Sizes of STRETTO washbasins

STRETTO


378x180 mm

Washbasin without overflow


Overflow is available in additional ordered.





Mixer tap on the sides



Mixer tap in the centre



The distance from the cut-out for the mixer tap to the wall is min 55mm.



**W1=(min-max) size when the mixer from the wall
W2=(min-max) size when the mixer is placed on the surface of the sink.

Minimal length (L) of countertop

STRETTO, mixer tap on basin side:

1 basin: A + B ≥ 550 mm


2 basins: A + B + C ≥ 1100 mm

Minimal length (L) of countertop

STRETTO, without mixer tap:

1 basin: A + B ≥ 500 mm

2 basins: A + B + C ≥ 1000 mm




Minimal length (L) of countertop

STRETTO, mixer tap on basin center:

1 basin: A + B ≥ 500 mm

2 basins: A + B + C ≥ 1100 mm



All prices in EUR

MADE TO MEASURE SILKSTONE® WASHBASINS

Examples with ROUND basin



ROUND 500 x 500 x 150
ROUND basin,
H = 150 mm, integrated brackets
Price € 1000



ROUND 1800 x 550 x 150
3 ROUND basins, H = 150 mm,
backwall rim, integrated brackets
Price € 2480 (1570+(2 x 360)+190)

Price table for ROUND basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	500-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	815	900	985	1070	1155	1240	1330	1415	
H = 30-100, Matte White, 1 basin included	930	1015	1100	1185	1270	1355	1440	1525	Upon request
H = 110-150, Matte White, 1 basin included	1000	1115	1230	1340	1455	1570	1685	1800	
H = 25, all tinted, 1 basin included*	1190	1300	1400	1500	1630	1740	1845	1960	
H = 30-100, all tinted, 1 basin included*	1305	1415	1515	1615	1745	1855	1955	2070	Upon request
H = 110-150, all tinted, 1 basin included*	1375	1515	1645	1770	1930	2070	2200	2345	
Optional:									
Each subsequent basin (Matte White / Tinted)**					360 / 515				
Backwall rim, h = 30 mm (always in surface tone)					190				
Wall panel, h = 60 - 200 mm	Matte White	130	160	190	215	245	275	330	360
	tinted	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	260	315	375	430	485	545	600	660
	tinted	300	360	430	500	570	645	715	785
Towel holder (per unit)***					100				
Rounding (only, if H = 25) or cutting of a corner					100				Upon request
Additional bracket, 400 / 480 mm, white (per unit)****					65				
Preparation of drawings / 2D / 3D before product manufacture*****					90				
Outline milling on the surface (1 pcs.)					75				
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover					105				
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover					100				

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1050 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 500 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is

less than 100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).

There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.

Sizes of ROUND washbasins



ROUND

D 400 mm




* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm.



** W1=(min-max) size when the mixer from the wall
W2=(min-max) size when the mixer is placed on the surface of the sink.

Minimal length for ROUND basins with mixer tap cut-out 45° from center:
A + B ≥ 500 mm
A + B + C ≥ 1000 mm



Additional
brackets
(480 mm)

All prices in EUR

Examples with OVO basins



OVO DUO 1400 x 500 x 150
2 OVO basins, H = 150 mm,
towel holder, backwall rim, integrated brackets
Price € 1990 (1340 + 360 + 190 + 100)

Price table for OVO basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	650-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	815	900	985	1070	1155	1240	1330	1415	
H = 30-100, Matte White, 1 basin included	930	1015	1100	1185	1270	1355	1440	1525	Upon request
H = 110-150, Matte White, 1 basin included	1000	1115	1230	1340	1455	1570	1685	1800	
H = 25, all tinted, 1 basin included*	1190	1300	1400	1500	1630	1740	1845	1960	
H = 30-100, all tinted, 1 basin included*	1305	1415	1515	1615	1745	1855	1955	2070	Upon request
H = 110-150, all tinted, 1 basin included*	1375	1515	1645	1770	1930	2070	2200	2345	
Optional:									
Each subsequent basin (Matte White / Tinted)**	360 / 515								
Backwall rim, h = 30 mm (always in surface tone)	190								
Wall panel, h = 60 - 200 mm	Matte White	130	160	190	215	245	275	330	360
	tinted	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	260	315	375	430	485	545	600	660
	tinted	300	360	430	500	570	645	715	785
Towel holder (per unit)***	100								
Rounding (only, if H = 25) or cutting of a corner	100								Upon request
Additional bracket, 400 / 480 mm, white (1 pcs.)****	65								
Preparation of drawings / 2D / 3D before product manufacture*****	90								
Outline milling on the surface (1 pcs.)	75								
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	105								
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100								

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1250 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 650 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).


There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/-5 mm.

Sizes of OVO washbasins


OVO

500 x 320 mm



* the outer perimeter of the washbasin


The distance from the cut-out for the mixer tap to the wall is min 55mm.



A + B ≥ 650 mm

A + B + C ≥ 1250 mm

** W1 = (min-max) size when the mixer from the wall
W2 = (min-max) size when the mixer is placed on the surface of the sink.



Additional brackets
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)

All prices in EUR

MADE TO MEASURE SILKSTONE® WASHBASINS

Example with PIANO basin



PIANO DUO 1600×600×150
2 PIANO basins, panel (H = 150 mm),
backwall rim, integrated brackets
Price € 1940 (1570+375+190)

Price table for PIANO basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	700-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	870	970	1070	1170	1270	1370	1470	1570	
H = 30-100, Matte White, 1 basin included	985	1085	1185	1285	1385	1485	1585	1685	Upon request
H = 110-150, Matte White, 1 basin included	1115	1230	1340	1455	1570	1685	1800	1910	
H = 25, all tinted, 1 basin included*	1285	1415	1530	1645	1785	1915	2030	2155	
H = 30-100, all tinted, 1 basin included*	1400	1530	1645	1760	1900	2030	2145	2270	Upon request
H = 110-150, all tinted, 1 basin included*	1530	1675	1800	1930	2085	2230	2360	2495	
Optional:									
Each subsequent basin (Matte White / Tinted)**	375 / 570								
Backwall rim, h = 30 mm (always in surface tone)	190								
Wall panel, h = 60 - 200 mm	Matte White	130	160	190	215	245	275	330	360
	tinted	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	260	315	375	430	485	545	600	660
	tinted	300	360	430	500	570	645	715	785
Towel holder (per unit)***	100								
Rounding (only, if H = 25) or cutting of a corner	100								Upon request
Additional bracket, 480 mm, white (per unit)****	65								
Preparation of drawings / 2D / 3D before product manufacture*****	90								
Outline milling on the surface (1 pcs.)	75								
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	105								
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100								

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1400 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than 700 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm. It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).




There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/-5 mm.

Sizes of PIANO washbasins

PIANO

560×420 mm



*the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm

** W1 = (min-max) size when the mixer from the wall
W2 = (min-max) size when the mixer is placed on the surface of the sink.



Additional brackets (480 mm)

Example with CREDO basin



CREDO 1200×600×25
CREDO basin, w/o panel (H = 25 mm),
backwall rim, 3 additional brackets
Price € 1455 (1070+190+(3×65))

Price table for CREDO basins

Surface edges height (H), mm	Length of surface (L), mm								Non-standard sizes & shapes
	600-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	870	970	1070	1170	1270	1370	1470	1570	
H = 30-100, Matte White, 1 basin included	985	1085	1185	1285	1385	1485	1585	1685	Upon request
H = 110-150, Matte White, 1 basin included	1115	1230	1340	1455	1570	1685	1800	1910	
H = 25, all tinted, 1 basin included*	1285	1415	1530	1645	1785	1915	2030	2155	
H = 30-100, all tinted, 1 basin included*	1400	1530	1645	1760	1900	2030	2145	2270	Upon request
H = 110-150, all tinted, 1 basin included*	1530	1675	1800	1930	2085	2230	2360	2495	
Optional:									
Each subsequent basin (Matte White / Tinted)**	375 / 570								
Backwall rim, h = 30 mm (always in surface tone)	190								
Wall panel, h = 60 - 200 mm	Matte White	130	160	190	215	245	275	330	360
	tinted	160	190	215	260	300	330	385	430
Wall panel, h = 201 - 400 mm	Matte White	260	315	375	430	485	545	600	660
	tinted	300	360	430	500	570	645	715	785
Towel holder (per unit)*	100								
Rounding (only, if H = 25) or cutting of a corner	100								Upon request
Additional bracket, 480 mm, white (per unit)***	65								
Preparation of drawings / 2D / 3D before product manufacture****	90								
Outline milling on the surface (1 pcs.)	75								
Push-open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	105								
Permanent open drain with chromed / Silkstone® Matte White / Silkstone® tinted cover	100								

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1200 mm;

*** The towel holder is available if the height of the surface edge (H) is 100 mm and the distance from the side edge of the washbasin to the centre of the basin (A, B ≥ 350 mm);

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm. It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).


There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted MTM sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.

Sizes of CREDO washbasins


CREDO

475 × 430 mm
integrated overflow




* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm



** W1 = (min-max) size when the mixer from the wall
W2 = (min-max) size when the mixer is placed on the surface of the sink.



Additional
brackets
(480 mm)

All prices in EUR

MADE TO MEASURE SILKSTONE® WASHBASINS

Examples with QUADRO basins



QUADRO 1200x480x100
QUADRO basin,
H = 100 mm, integrated brackets
Price € 1315

Price table for QUADRO basins

Surface edges height (H), mm	Length of surface (L), mm							Non-standard sizes & shapes
	800-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
H = 25, Matte White, 1 basin included	1100	1200	1300	1400	1500	1600	1700	Upon request
H = 30-100, Matte White, 1 basin included	1215	1315	1415	1515	1615	1710	1810	
H = 110-150, Matte White, 1 basin included	1355	1470	1585	1700	1810	1925	2040	
H = 25, all tinted, 1 basin included*	1545	1660	1775	1915	2045	2160	2285	Upon request
H = 30-100, all tinted, 1 basin included*	1660	1775	1890	2030	2160	2270	2395	
H = 110-150, all tinted, 1 basin included*	1800	1930	2060	2215	2355	2485	2625	
Optional:								
Each subsequent basin (Matte White / Tinted)**				500 / 685				Upon request
Backwall rim, h = 30 mm (always in surface tone)				190				
Wall panel, h = 60 - 200 mm	Matte White	160	190	215	245	275	330	
	tinted	190	215	260	300	330	385	
Wall panel, h = 201 - 400 mm	Matte White	315	375	430	485	545	600	
	tinted	360	430	500	570	645	715	
Towel holder (per unit)**				100				
Rounding (only, if H = 25) or cutting of a corner				100				
Additional bracket, 480 mm, white (per unit)***				65				
Preparation of drawings / 2D / 3D before product manufacture****				90				
Outline milling on the surface (1 pcs.)				75				

* The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours. Attention! Granite palette colors are available for the countertop only;

** Basin is available, if the length of countertop (L) is equal to or more than 1600 mm;

*** Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 800 mm;

**** Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than

100 mm It is recommended to use 1 bracket for every 900 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

***** Technical advice on drawing processing, surface assembly and drawing coordination.

The order must be accompanied by a completed Order form for Made to Measure washbasins (see page 41).




There may be slight differences in the shade of white colour for basins and the rest of countertop elements. For tinted sinks, adhesive spots will be visible.

See Silkstone® product tints (see page 57). Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.

Sizes of QUADRO washbasins

QUADRO

680x290mm



* the outer perimeter of the washbasin

The distance from the cut-out for the mixer tap to the wall is min 55mm

** W1=(min-max) size when the mixer from the wall
W2=(min-max) size when the mixer is placed on the surface of the sink.



Additional
brackets
(400 mm)

Order form for MADE TO MEASURE washbasins

1. Choose your basin (mark your choice):

Take into account the requirements of each basin regards the length (L), width (W), and height (H) of countertop!




OPUS MINI 300 x 265 mm
* W1=400(385-500)mm
W2=450(440-500)mm
WM=min. 60 mm; WW=265 mm
WB=min. 60 mm
L=450-2200; H=25-150 mm
A+B=450 mm
A+B+C≥900 mm
On Furniture:
W1=min. 385; W2=min. 440 mm



OPUS 470 x 270 mm
* W1=400(395-550)mm
W2=450(450-550)mm
WM=min. 55 mm; WW=270 mm
WB=min. 70 mm
L=600-2200; H=25-150 mm
A+B=600 mm
A+B+C≥1200 mm
On Furniture:
W1=min. 395; W2=min. 450



OPUS GRANDE 600 x 334 mm
* W1=400(455-550)mm
W2=510(510-550)mm
WM=min. 55 mm; WW=334 mm
WB=min. 70 mm
L=700-2200; H=25-150 mm
A+B≥700 mm
A+B+C≥1400 mm
On Furniture:
W1=min. 455; W2=min. 510



OVO 500 x 320 mm
* W1=450(445-550)mm
W2=500(500-550)mm
WM=min. 60 mm; WW=320 mm
WB=min. 65 mm
L=650-2200; H=25-150 mm
A+B≥650 mm
A+B+C≥1250 mm
On Furniture:
W1=min. 445; W2=min. 500 mm



CREDO 475 x 430 mm
* W1=550(545-650)mm
W2=600(590-650)mm
WM=min. 60 mm; WW=430 mm
WB=min. 55 mm
L=600-2200; H=25-150 mm
A+B≥600 mm
A+B+C≥1200 mm
On Furniture:
W1=min. 545; W2=min. 600 mm



PIANO 560 x 420 mm
* W1=550(540-600)mm
W2=600(595-600)mm
WM=min. 60 mm; WW=420 mm
WB=min. 60 mm
L=700-2200; H=25-150 mm
A+B≥700 mm
A+B+C≥1400 mm
On Furniture:
W1=min. 540; W2=min. 595 mm



STRETTO 378 x 180 mm
* W1=300(280-400)mm
W2=350(335-400)mm
WM=min. 60; WW=180 mm
WB=min. 60 / 50 mm
L=550/500-2200; H=150 mm
A+B≥550/500 mm
A+B+C≥1100 / 1000 mm
On Furniture:
W1=min. 280; W2=min. 335 mm



ROUND D 400 mm
* W1=500(500-550)mm
W2=500(500-550)mm
WM=min. 60; WW=400 mm
WB=min. 50 mm
L=500-2200; H=25-150 mm
A+B≥500 mm
A+B+C≥1000 mm
On Furniture:
W1&W2=min. 500 mm
No overflow available





QUADRO 680 x 290 mm
* W1=450(410-550)mm
W2=470(465-550)mm
WM=min. 60; WW=290 mm
WB=60 mm
L=800-2200; H=25-150 mm
A+B≥800 mm
A+B+C≥1600 mm
On Furniture:
W1=min. 410; W2=min. 465 mm

W1=Recommended(min-max) size when the mixer from the wall


W2=Recommended(min-max) size when the mixer is placed on the surface of the sink. Marginal deviations of the internal size of the sink and its positioning on the surface +/-5mm.

2. Mark the number of basins you need / write down the key measures of your countertop / mark if you need Towel holder (300 x 35 mm)**
fully mark to show panel location:




** Towel holders TH1, TH2 are available only if the height of the panel (H) is at least 100 mm and the possible position is defined by the manufacturer.

3. Mark the type of mixer tap placement (drilling at no additional cost)***





MIXER TAP ON
COUNTERTOP
SURFACE



MIXER TAP
FROM WALL

4. Mark the basin position:



5. Mark if you need integrated backwall rim and wall panel, backwall rim and wall panel (thickness = 12 mm) and length equal to surface length (L):

backwall rim
(h=30mm)

wall panel h = _____ mm
(h=60 - 400 mm)

NO


6. Mark if you want tinted washbasin, countertop & tinted wall panel (Specify a tint name):

Bowl: MATTE WHITE

Countertop: MATTE WHITE

TINTED _____
(bowl available only in Matte White, Matte Caffelatte,
Matte Grey, Matte Oyster)

TINTED _____



7. Mark if brackets are needed (see recommended number of brackets below)**:

1 pc.

2 pcs.

NO

3 pcs.
(L≥1200 mm)

4 pcs.
(L≥1600 mm)

integrated brackets
(H≥100 mm), included in the price

10. Mark drain type:

Permanent open with Silkstone®
cover (DEIZSNOP/00)



Permanent open with chrome
colour cover (L2264)

Push-open with Silkstone® cover (DEIZSCLICK/00)
(only for basins with overflow)



Push-open with chrome cover (L32UM)
(only for basins with overflow)

8. Mark if it is necessary: rounding of the corner(s) of the surface
(possible only if the edge height is 25 mm), cutting, milling or drilling:

Rounding***

Milling***

Cutting***

NO

9. Mark if overflow is needed (included in the price):

YES

If NO is not checked, overflow will be made for all washbasins except Quadro.

*** IMPORTANT! It is required that all the items of the form are filled in and a drawing is included with the order, specifying the position of the basins, the cut-outs for installing the mixer taps, any rounded corners and cuts, as well as any non-standard solutions: i.e. bevelled surfaces, cutouts, unusually narrow surfaces without cut-outs for installing the mixer taps (wall-mounted mixer taps) etc. If the WB value is not specified in 3., then the dimensions specified in the standard drawings are used for the location of the sink and faucet (see 1.). The integrated brackets are included in the price and are only available if H is greater than 100 mm. The metal mounting brackets must be ordered for an additional fee if the load capacity of the wall is not sufficient or if the H value of the surface is less than 100 mm, not required if the washbasin is placed on furniture.

CUSTOM LENGTH SILKSTONE® WASHBASINS – FLOW

Prices of FLOW washbasins

FLOW 45

600-3000 × 450 mm
h = 160 mm

Colour – Matte White

Mixer taps can only be mounted on the wall

Brackets - integrated

Surface edges height (H), mm

Lenght of surface (L), mm

600-1000	1001-1500	1501-2000	2001-2500	2501-3000	Non-standard sizes & shapes
----------	-----------	-----------	-----------	-----------	-----------------------------

FLOW 45, H = 160, Silkstone®*(IFLOW450/00)

1900	2655	3410	4165	4920	Upon request
------	------	------	------	------	--------------


* The integrated mount and drain position is specified individually

Optional:

Backwall rim, h = 30 mm (integrated)

190

Wall panel, h = 60 - 200 mm (separately)	Matte White tinted	160 190	245 300	330 385	3850 460	475 560	Upon request
Wall panel, h = 201 - 400 mm (separately)	Matte White tinted	315 360	485 570	600 715	730 855	830 970	



FLOW 50

600-3000 × 500 mm
h = 160 mm

Colour – Matte White

Mixer taps can be mounted on the surface or on the wall

Brackets - integrated

Surface edges height (H), mm

Lenght of surface (L), mm

600-1000	1001-1500	1501-2000	2001-2500	2501-3000	Non-standard sizes & shapes
----------	-----------	-----------	-----------	-----------	-----------------------------

FLOW 50, H = 160, Silkstone®*(IFLOW500/00)

2095	2850	3610	4350	5105	Upon request
------	------	------	------	------	--------------


* The amount and position of mixers, drain, and the integrated mount is specified individually

Optional:

Backwall rim, h = 30 mm (integrated)

190

Wall panel, h = 60 - 200 mm (separately)	Matte White tinted	160 190	245 300	330 385	385 460	475 560	Upon request
Wall panel, h = 201 - 400 mm (separately)	Matte White tinted	315 360	485 570	600 715	730 855	830 970	



All prices in EUR

Order form for washbasins FLOW 45/50

1. Choose your basin (mark your choice):


Take into account the requirements of each basin regards the length(L), width(W) of countertop!

FLOW 45

W = 450 mm
W1 = 50 mm
W2 = 110 mm
L = 600-3000 mm
H = 160 mm
A + B ≥ 300 mm
A + B + C ≥ 600 mm

FLOW 50



W = 500 mm
W1 = 60 mm
W2 = 130 mm
L = 600-3000 mm
H = 160 mm
A + B ≥ 300 mm
A + B + C ≥ 600 mm



WARNING! Mixer tap holes are not available for the FLOW 45 basin.

Tolerated error of dimensions for basin position and dimensions in the surface +/- 5 mm.




2. Write down the key measures of washbasin:





3. Does the sink will have a mixer from the wall or mixer will be located on the basin surface? Specify the location and number of tap holes:

mixer from wall

mixer on the basin surface (only FLOW 50)



4. Indicate the location and number of syphon holes:



5. Mark if you need integrated backwall rim and wall panel, backwall rim and wall panel (thickness = 12 mm) and length equal to surface length(L):

backwall rim (h = 30 mm)

wall panel h = _____ mm (h = 60 - 400 mm)

NO

7. Mark if it is necessary milling (for example, cut for waste bin, soap dispenser, etc.)

Milling**

NO

6. Mark the basin position:



8. Comments:

**** IMPORTANT!** It is required that all the items of the form are filled in and a drawing is included with the order: the position of the basins, the locations of the holes for the installation of mixer taps, if necessary, and the location and number of syphon connection. Washbasins don't have overflow. Milling on the surface requires a drawing. Integrated mounts are included in the price.

MADE TO MEASURE SILKSTONE® SURFACES. ON-TOP WASHBASIN

Examples with Made to Measure Silkstone® surface and ON-TOP washbasin Amore



Silkstone® surface (h= 100 mm) with ON-TOP washbasins Amore



Silkstone® surface (h= 25 mm) with ON-TOP washbasin Amore On furniture

Prices of Made to Measure surfaces and ON-TOP washbasins

Surface width (W), mm	Surface edges height (H), mm	Length of surface (L), mm								
		205-500	501-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200
W = max. 400	H = 18 / 25	285	330	385	445	500	560	615	670	730
	H = 30-100	400	460	530	600	670	745	815	885	955
	H = 110-150	460	530	615	700	785	870	955	1045	1130
W = 401-500	H = 18 / 25	315	375	445	515	585	660	730	800	870
	H = 30-100	430	515	600	685	770	855	945	1030	1115
	H = 110-150	500	585	685	785	885	985	1085	1185	1285
W = 501-600	H = 18 / 25	375	460	560	660	760	855	955	1055	1155
	H = 30-100	460	560	660	760	855	955	1055	1155	1255
	H = 110-150	545	630	745	855	970	1085	1200	1315	1425

Optional:

AMORE (Matte White / TINTED / GRAPHITE) - 1 pcs.	600 / 800 / 900
BELLA (Matte White / TINTED / GRAPHITE) - 1 pcs.	645 / 820 / 945
DECO (Matte White / TINTED / GRAPHITE) - 1 pcs.	505 / 675 / 840
ROUND ON (Matte White / TINTED / GRAPHITE) - 1 pcs.	420 / 585 / 695
FELICE (Matte White / TINTED / GRAPHITE) - 1 pcs.	600 / 700 / 925
QUADRO ON (Matte White / TINTED / GRAPHITE) - 1 pcs.	560 / 735 / 840
PERLA (Matte White / TINTED) - 1 pcs.	560 / 735 / 840
DO 22 (Matte White / TINTED / GRAPHITE) - 1 pcs.	190 / 290 / 325
DO 25 (Matte White / TINTED / GRAPHITE) - 1 pcs.	240 / 295 / 345
DO 28 (Matte White / TINTED / GRAPHITE) - 1 pcs.	270 / 315 / 365
Backwall rim, h = 30 mm (always in surface tone)	190
Wall panel, h = 60 - 200 mm	
Matte White	130
tinted	160
GRAPHITE	175
215	215
260	260
300	300
345	345
385	385
430	430
485	485
545	545
600	600
645	645
715	715
785	785
845	845
930	930
Towel holder (per unit)*	100
Rounding (only, if H = 18 / 25) or cutting of a corner	100
Preparation of drawings / 2D / 3D before product manufacturer**	90
Cut-outs in the surface, if ordered without PAA washbasin (1 pcs.)	45
Outline milling on the surface if ordered without PAA washbasin (1 pcs.)	100
Tinted surface (see Silkstone® tints on page 58).	215
GRAPHITE	275
230	300
260	330
285	360
315	385
345	415
375	445
400	475
Additional bracket, 300/400/480 mm, white (1 pcs.)***	65

* Towel holder is available, if the height of panel (H) is at least 100 mm and surface length (L) more than: 350 mm;

** Technical advice on drawing processing, surface assembly and drawing coordination with other manufacturers of washbasins;

*** Standard mounts are included. Additional brackets must be ordered if: the load capacity of the wall is not sufficient or the H value of the surface is less than 100 mm. It is recommended to use 1 bracket for every 800 mm of surface length (L). Brackets are not required if the washbasin is placed on furniture;

The order must be accompanied by a completed Order form for Made to Measure surfaces and ON-TOP washbasins on the surface (see page 50-51.).

The colour of the finished surface and the washbasin may differ slightly. See Silkstone® product tints on page 57.



Non-standard sizes & shapes - upon request.

All prices in EUR


Sizes of ON-TOP washbasin AMORE

AMORE

600×370 mm



* At H = 18 mm, the surface is monolithic and only the front edge is inclined




Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)


Sizes of ON-TOP washbasin BELLA

BELLA



650×390 mm



* At H = 18 mm, the surface is monolithic and only the front edge is inclined






Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)




Sizes of ON-TOP washbasin DECO

DECO


d 450, h 122 mm



With mixer tap on the surface



With mixer tap from the wall




Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)





Sizes of ON-TOP washbasin ROUND

ROUND ON


d 410, h 140 mm




* At H = 18 mm, the surface is monolithic and only the front edge is inclined



With mixer tap on the surface



With mixer tap from the wall





Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)




Sizes of ON-TOP washbasin FELICE

FELICE


690×375 mm




With mixer tap
on the surface



With mixer tap
from the wall



* At H = 18 mm, the surface is monolithic and only the front edge is inclined





Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)


Sizes of ON-TOP washbasin PERLA

PERLA


510×355 mm




With mixer tap
on the surface




With mixer tap
from the wall



* At H = 18 mm, the surface is monolithic and only the front edge is inclined




Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)








Sizes of ON-TOP washbasin QUADRO ON

QUADRO ON

555×355 mm



* At $H = 18$ mm, the surface is monolithic and only the front edge is inclined








Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)

Sizes of ON-TOP washbasin D0 22

DO 22

Ø 220 mm






Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)


Sizes of ON-TOP washbasin DO 25

DO 25


Ø 250 mm



With mixer tap
on the surface



With mixer tap
from the wall






Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)


Sizes of ON-TOP washbasin DO 28

DO 28


Ø 280 mm



With mixer tap
on the surface



With mixer tap
from the wall



Additional brackets
(300 mm, if W 354-479 mm)
(400 mm, if W 480-499 mm)
(480 mm, if W 500-550 mm)

Order form for MADE TO MEASURE surfaces and ON-TOP washbasins on the surface

1. Choose your washbasins (mark your choice):

Take into account the requirements of each basin regards the length (L), width (W), and height (H) of countertop!




AMORE 600 x 370, h 195 mm
W1 = 450 (440-600) mm*
W2 = 400 (355-600) mm*
WS = 228; WF = 155 mm
L = 630-2200 mm
H = 18, 25-150 mm
A + B ≥ 630 mm
A + B + C ≥ 1260 mm



BELLA 650 x 390, h 160 mm
W1 = 450 (435-600) mm*
W2 = 450 (350-600) mm*
WS = 198; WF = 182 mm
L = 670-2200 mm
H = 18, 25-150 mm
A + B ≥ 670 mm
A + B + C ≥ 1340 mm



DECO d 450, h 122 mm
W1 = 500 (497-600) mm*
W2 = 450 (415-600) mm*
WS = 204; WF = 238 mm
L = 470-2200 mm
H = 18, 25-150 mm
A + B ≥ 470 mm
A + B + C ≥ 940 mm



ROUND ON d 410, h 140 mm
W1 = 400 (390-600) mm*
W2 = 350 (305-600) mm*
WS = 245; WF = 90 mm
L = 430-2200 mm
H = 18, 25-150 mm
A + B ≥ 430 mm
A + B + C ≥ 860 mm



FELICE 690 x 375, h 158 mm
W1 = 450 (405-600) mm*
W2 = 350 (320-600) mm*
WS = 228; WF = 122 mm
L = 710-2200 mm
H = 18, 25-150 mm
A + B ≥ 710 mm
A + B + C ≥ 1420 mm

Indicate the PAA washbasins tint (see Silkstone® tints on page 57):

MATTE WHITE

TINTED: _____



GRAPHITE

Backwall rim

Tolerated error of the positioning of cut-outs and milling on the surface +/- 5 mm.

*W1(mixer tap on the surface), W2 (mixer tap from the wall). Attention! The surface of the drain cover is made from the same material as the washbasin.

2. Mark the number of basins you need / write down the key measures of your countertop / mark if you need towelholder (300 x 35 mm)/**/ fully mark to show panel location:





**Towel holder (TH1&TH2) is available only if the height of the panel (H) is at least 100 mm and the possible position is defined by the manufacturer.


3. Mark the type of mixer tap placement, indicate the position of the mixer and the washbasin

(If WS and WF are not indicated, then the dimensions indicated in the standard drawings are used for the location of the washbasin and mixer tap, cut-outs in the surface are included in the basicset and in the price, if a PAA washbasin is ordered):

MIXER TAP ON COUNTERTOP SURFACE*** MIXER TAP FROM WALL
(write mixer tap lenght MIX)



4. Mark the surface location in the room:



5. Mark if you need backwall rim (h = 30 mm) and wall panel (h = 60-400 mm), backwall rim and wall panel (thickness = 12 mm) and length equal to surface length (L):

backwall rim (h = 30 mm) wall panel h = _____ mm NO

6. Mark countertop & wall panel colour (Specify a tint name):

MATTE WHITE TINTED _____ GRAPHITE

7. Mark if brackets are needed

(see recommended number of brackets below)***:

1 pcs. 2 pcs. NO
 3 pcs. 4 pcs. integrated brackets
(L ≥ 1200 mm) (L ≥ 1600 mm) (H ≥ 100 mm), included in the price

9. Special marks:

*** IMPORTANT! It is required that all the items of the form are filled in and a drawing is included with the order, specifying the position of the basins, the cut-outs for installing the mixer taps, any rounded corners and cuts, as well as any non-standard solutions: i.e. bevelled surfaces, cutouts, unusually narrow surfaces without cut-outs for installing the mixer taps (wall-mounted mixer taps) etc. The integrated brackets are included in the price and are only available if H is greater than 100 mm. The metal mounting brackets must be ordered for an additional fee if the load capacity of the wall is not sufficient or if the H value of the surface is less than 100 mm, not required if the washbasin is placed on furniture.

Order form for MADE TO MEASURE surfaces and ON-TOP washbasins on the surface

1. Choose your washbasins (mark your choice):

Take into account the requirements of each basin regards the length (L), width (W), and height (H) of countertop!




DO 22 d 220, h 108 mm
W1 = (285-600) mm*
W2 = (205-600) mm*
WS = 150; WF = 75 mm
L = 260-2200 mm
H = 18, 25-150 mm
A + B ≥ 260 mm
A + B + C ≥ 690 mm



DO 25 d 250, h 120 mm
W1 = (305-600) mm*
W2 = (225-600) mm*
WS = 165; WF = 80 mm
L = 280-2200 mm
H = 18, 25-150 mm
A + B ≥ 280 mm
A + B + C ≥ 720 mm



DO 28 d 280, h 120 mm
W1 = (320-600) mm*
W2 = (240-600) mm*
WS = 180; WF = 80 mm
L = 320-2200 mm
H = 18, 25-150 mm
A + B ≥ 320 mm
A + B + C ≥ 760 mm



PERLA 510 x 355, h 142 mm
W1 = (390-600) mm*
W2 = (315-600) mm*
WS = 195; WF = 135 mm
L = 560-2200 mm
H = 18, 25-150 mm
A + B ≥ 560 mm
A + B + C ≥ 1190 mm



QUADRO ON 555 x 355, h 125 mm
W1 = (405-600) mm*
W2 = (320-600) mm*
WS = 170; WF = 175 mm
L = 590-2200 mm
H = 18, 25-150 mm
A + B ≥ 590 mm
A + B + C ≥ 1265 mm

Indicate the PAA washbasins tint (see Silkstone® tints on page 57):

MATTE WHITE

TINTED: _____

GRAPHITE



Surface with washbasin of another manufacturer

Surface without washbasin

Tolerated error of the positioning of cut-outs and milling on the surface +/- 5 mm.

*W1(mixer tap on the surface). W2 (mixer tap from the wall). Attention! The surface of the drain cover is made from the same material as the washbasin.

2. Mark the number of basins you need / write down the key measures of your countertop / mark if you need towelholder (300 x 35 mm)/**/ fully mark ∇ to show panel location:




**Towel holder (TH1&TH2) is available only if the height of the panel (H) is at least 100 mm and the possible position is defined by the manufacturer.


3. Mark the type of mixer tap placement, indicate the position of the mixer and the washbasin

(If WS and WF are not indicated, then the dimensions indicated in the standard drawings are used for the location of the washbasin and mixer tap, cut-outs in the surface are included in the basicset and in the price, if a PAA washbasin is ordered):

MIXER TAP ON COUNTERTOP SURFACE*** MIXER TAP FROM WALL
(write mixer tap lenght MIX)



4. Mark the surface location in the room:



5. Mark if you need backwall rim (h = 30 mm) and wall panel (h = 60-400 mm), backwall rim and wall panel (thickness = 12 mm) and length equal to surface length (L):

backwall rim (h = 30 mm) wall panel h = _____ mm NO

6. Mark countertop & wall panel colour (Specify a tint name):

MATTE WHITE TINTED _____

7. Mark if brackets are needed

(see recommended number of brackets below)***:

1 pcs. 2 pcs. NO
 3 pcs. 4 pcs. integrated brackets
(L ≥ 1200 mm) (L ≥ 1600 mm) (H ≥ 100 mm), included in the price

9. Special marks:

8. Mark if it is necessary: rounding of the corner(s) of the surface (possible only if the edge height is 18 / 25 mm), cutting, milling or drilling:

Rounding*** Milling
 Cutting*** Drilling
 NO

*** IMPORTANT! It is required that all the items of the form are filled in and a drawing is included with the order, specifying the position of the basins, the cut-outs for installing the mixer taps, any rounded corners and cuts, as well as any non-standard solutions: i.e. bevelled surfaces, cutouts, unusually narrow surfaces without cut-outs for installing the mixer taps (wall-mounted mixer taps) etc. The integrated brackets are included in the price and are only available if H is greater than 100 mm. The metal mounting brackets must be ordered for an additional fee if the load capacity of the wall is not sufficient or if the H value of the surface is less than 100 mm, not required if the washbasin is placed on furniture.

CRAFT MADE TO MEASURE SHOWER TRAY

Price table for CRAFT Made to Measure shower tray

Material	Width (W), mm	Length (L), mm								
		900-1000	1001-1100	1101-1200	1201-1300	1301-1400	1401-1500	1501-1600	1601-1700	1701-1800
Cast Stone White, h=35 mm	800	685	745	800	855	930	1000	1070	1140	1210
	801-900	760	830	900	970	1045	1115	1185	1255	1325
	901-1000	830	915	1000	1085	1170	1255	-	-	-
Optional:										
Panel, h = 100 mm**		100								
Shower tray in colour***		415								
Siphon TurboFlow, ø 90 mm		65 (Art. NR. 0205302)								
Silkstone®* White, h=35 mm	800	1130	1240	1355	1470	1585	1700	1810	1925	2030
	801-900	1255	1385	1515	1640	1770	1900	2025	2155	2270
	901-990	1415	1555	1700	1840	1985	2125	-	-	-
Optional:										
Panel, h = 110 mm**		175								

* Siphon with cover in Silkstone® cover included

** 90° angle between adjacent sides with panel is required


*** Panel is always the same colour as shower tray

Adjustable legs, irregular angles, and cut-outs on sides are included in price. Tolerated error of dimensions for CRAFT Made to Measure shower tray is ± 3 mm. Order form for CRAFT Made to Measure shower tray (see p. 53) has to be filled out, when placing an order.

CRAFT Made to Measure shower tray

900-1800×800-1000 mm*

h = 35 / h = 135 mm (with panel)



Cast Stone shower tray siphon (optional)



Silkstone® shower tray siphon (included)



Siphon TurboFlow ø 90 mm

Siphon Viega Tempoplex Plus ø 90 mm*

Shower tray surface cut-out examples:





If the shower tray has narrow or wide angles between the edges, the dimensions W and L for the price table are determined according to the principle shown in the illustration


Additional information to consider when ordering a CRAFT shower tray

1. To ensure extra strength, all CRAFT shower trays are made with an additional layer of reinforcement. This means that if the shower tray is to be placed on a surface without legs, the surface must be prepared with an additional recess.



Dimensions for Cast stone shower trays:



2. Taking into account the specifics of CRAFT shower tray production, due to the drop in shape, the edges of the shower tray may be offset from a straight plane.



Dimensions for Silkstone® shower trays:



** 3 mm thick polypropylene must be laid between the shower tray and the surface

ORDER FORM FOR CRAFT MADE TO MEASURE SHOWER TRAY

1. Mark your choice of material:

Cast Stone Silkstone®

2. Mark your choice of colour:

White in colour*, (write the name): _____
* Only the cast stone shower tray can be colored

3. Draw your shower tray:

- a) read suggestions on how to measure (top right corner);
- b) measure the place, where your shower tray will lay;
- c) draw perimeter of your shower tray in the grid:
 - the perimeter of shower tray has to fit within the perimeter of grid,
 - scaling of one grid box is 50 × 50 mm,
 - show measurements for all sides of your shower tray in the form of projections of these sides on the perimeter of grid below (see example to the right)

4. Mark the edges of the shower tray that will fit against the wall

5. Mark sides where panel is needed

6. Mark the mounting type of the shower tray:

Assembly with legs Assembly without legs

7. Mark the shape of the shower tray:

- Rectangle (angles do not need to be indicated in the drawing)
- Irregular

8. Special remarks:


How to measure

1. All measurements have to be made:

- in millimeters
- for the height in which shower tray will be installed
- to walls with done finishing, e.g., walls with tiles


2. Make sure the walls are straight, to avoid unexpected gaps between the wall and shower tray

Example of shower tray drawing:



The dimensions of the drawing are: DIMENSIONS FOR THE WALL DIMENSIONS FOR THE SHOWER TRAY

If the shower tray is to be placed in a niche, the tray length and width dimensions of the gauge must be reduced by 3 mm.



SUGGESTIONS ON HOW TO PREPARE THE DRAWING OF A DECO SHAPE BATH

Each DECO SHAPE bath is one of a kind – made to the measures and drawing provided by client

How to measure

1. All measurements have to be made:

- in millimeters;
- for the height of bath surface;
- to walls with done finishing, e.g., walls with tiles.

2. Make sure the walls are straight, to avoid unexpected gaps between the wall and bath

How to draw your bath

1. Explore the illustration *Example of a bath drawing*

2. Choose one side of grid in the drawing *Maximum size of a bath's surface* to represent a side of your bath that is next to the wall, then draw other walls that will border your bath

3. Cut out (alongside dashed line) bath from the illustration *Minimum size of a bath* and see where it fits in your drawing, glue it once there is a perfect fit


4. Draw the outer border(s) of your bath

IMPORTANT! Mark the place for mixer tap and make sure that water supply is feasible there. The same goes for draining of water


5. Show measures for all elements or your bath in the same manner, as in illustration *Example of a bath drawing*

Maximum size of a bath's surface


2500×1250 mm; 1 box = 50×50 mm



Minimum size of a bath 1660×750 mm



Example of a bath drawing



6. Indicate the location of the mixer tap cut-outs and their diameters in the drawing

7. Indicate the surface tint: _____

= 50×50 mm



Made to Measure shelves

400-2200 × 100-450 mm,
h= 80 mm

Surface width (W), mm	TINT	Length of surface (L), mm					Non-standard sizes & shapes
		400-600	601-1000	1001-1400	1401-1800	1801-2200	
W = 100-350	Matte White	430	570	715	855	1000	Upon request
	tinted	515	685	855	1030	1200	
	GRAPHITE	600	800	1000	1200	1400	

W = 351-450	Matte White	500	670	845	1015	1185	Upon request
	tinted	600	800	1000	1200	1400	
	GRAPHITE	685	915	1140	1370	1600	


Shelf is available: Matte White and tinted, see Silkstone® tints on page 57.
Indicate the shelf length and tint in the order notes.
Wall mountings – integrated



Made to Measure wall panels

H 60-400 × L 430-2200 mm

Panel height (H), mm	TINT	Panel length (L), mm								Non-standard sizes & shapes
		430-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2200	
W = 60-200	Matte White	130	160	190	215	245	275	330	360	Upon request
	tinted	160	190	215	260	300	330	385	430	
	GRAPHITE	175	215	260	300	345	385	430	485	
W = 201-400	Matte White	260	315	375	430	485	545	600	660	Upon request
	tinted	300	360	430	500	570	645	715	785	
	GRAPHITE	360	430	500	585	670	760	845	930	



How to compose articles for orders of PAA products

Example of TRE 170 bath

Chosen options: Right side bath; Front panel, high; colour GLOSSY SILVER

1. Choosing appropriate articles:

VATREGR/D/xx – right side bath (replace xx with colour code and write the name of colour in brackets after the article)
PATREGRA/D/xx – panel for right side bath (the same actions, as for the bath)

2. Completing articles for the order:

VATREGR/D/01(GLOSSY SILVER)+PATREGRA/D/01(GLOSSY SILVER)

Example of VARIO L AD bath

Chosen options: length 1660 mm; drain-overflow in metal, chrome colour; 2 rounded corners (A, D); colour: inside Glossy Alpine White, outside GLOSSY Grey (bath in two colours)

1. Choosing appropriate articles:

VAVARLAD/xx – bath (replace xx with colour code and write the name of colour in brackets after the article)
SIFVVARM/H – drain-overflow in metal, chrome colour

2. Completing articles for the order:

VAVARLAD/01(GLOSSY GREY / GLOSSY ALPINE WHITE)+SIFVVARM/H

Explanation of symbols that are used in product articles after slash "/"

Cast Stone products

xx – to be replaced by the choice of colour:
00 – Glossy Alpine White
01 – indicates colour other than white

Silkstone® and GRAPHITE products

xx – to be replaced by the choice of colour:

00 – Matte White
01 – GRAPHITE
02 – tinted Silkstone® (for Made to Measure products see page 57.)
03 – Matte Grey
04 – Matte Caffelatte
05 – Matte Oyster

A – Left side

D – Right side

Attention! when creating an article, in the order notes, mark whether a mono or duo tone bathtub is required (see example)

COLOUR CARD OF CAST STONE PRODUCTS

Product type	Product name	GLOSSY ALPINE WHITE (white)	COLOUR PALETES					
			SELECTION		GRANITE		RAL ****	
			MONO*	DUO**	MONO	DUO	MONO	DUO
Bathtubs	AMORE	+	+					+
	DECO NUO	+	+	+				+
	BELLA, BELLA OVO	+	+	+				+
	DUNA	+	+	+				+
	BEL CANTO	+	+	+				+
	STEP	+	+	+	+	+	+	+
	VICTORIA (except GLOSSY BLACK)	+	+					+
	QUADRO, QUADRO WALL / CORNER	+	+	+				+
	STORIA	+	+	+				+
	PERLA 145, PERLA 160, PERLA 175	+	+	+				+
	SMART 150 / 160 / 170 / 180	+		+				+
	VERSO, VARIO M / L / XL	+	+	+	+	+	+	+
Washbasins	UNO 150 / UNO 170 / TRE 150 / TRE 170	+	+	+				+
	AMORE	+	+					+
	DECO	+	+	+				+
	BELLA	+	+	+				+
	PERLA	+	+					+
	ROUND ON	+	+	+				+
	QUADRO / QUADRO ON	+						+
	DO22, DO 25, DO 28	+	+					+
	ROUND IN, OVO IN	+	+		+			+
	LONG STEP collection	+	+		+			+
	LOTO MINI / LOTO collection	+	+					+
	SAMBA 55 / SAMBA 70	+	+		+			+
Shower trays	STEP MINI / STEP	+	+		+			+
	VARIO	+	+	+		+	+	+
	CLARO collection***	+	+		+			+
	CLASSIC	+						
	ART	+	+		+		+	
Shower trays	LARGO	+	+		+		+	
	LETTERA	TEXTURED ALPINE WHITE		TEXTURED: FOG, CLAY GREY, SMOKE				
	CRAFT	+	+					+

SELECTION color palette: GLOSSY GREY / GLOSSY FOG / GLOSSY SMOKE / GLOSSY BLACK / GLOSSY CLAY

Attention! The GLOSSY BLACK tint is not available for the Victoria bathtub, shower trays, and all washbasins (except Bella and Perla washbasins)!

PAA GRANITE color palette: GLOSSY GOLD, GLOSSY SILVER, GLOSSY GALAXY, GLOSSY CASHMERE

* MONO – bath in one color; ** DUO – bath in two colours, the inside is always GLOSSY ALPINE WHITE, but the outside – in the chosen colour;

*** Claro collection – soap tray for white washbasin – in the chosen colour.

**** Individual tints, colours and their combinations are possible only upon agreement with the manufacturer and are not available in all cases.

TINT CARD OF SILKSTONE® PRODUCTS

Product type	Product name	TINT			
		Matte White	GRAPHITE	Matte Caffelatte Matte Grey Matte Oyster	Matte Shadow Matte Desert Matte Night Matte Cemento
Made to Measure concept products	Made to Measure washbasin surface*	+		+	+
	Made to Measure ON TOP washbasin surface	+		+	+
	CRAFT shower trays	+			
	DECO SHAPE bath (tinted surface only)	+			+
	DECO SHAPE RE bath (tinted surface only)	+			+
	DECO SHAPE RE A/D bath (tinted surface only)	+			+
	FLOW	+			
	Made to Measure Silkstone shelves	+	+	+	+
	Made to Measure wall panels	+	+	+	+
Bathtubs	BELLA, BELLA OVO	+	+	+	
	DUNA	+	+	+	
	FELICE	+	+	+	
	QUADRO	+	+	+	
	INFINITY	+		+	
	AMORE	+	+	+	
	DOLCE	+	+		
	PERLA 145, PERLA 160, PERLA 175	+	+	+	
	DECO NUDO, DECO RIM	+	+	+	
	VICTORIA (legs also GRAPHITE)	+			
	DECO WALL	+	+	+	
Washbasins	DECO CORNER (only the surface of a bathtub is tinted)	+		+	
	BELLA	+	+	+	
	FELICE	+	+	+	
	INFINITY 80, INFINITY 60	+		+	
	AMORE	+	+	+	
	QUADRO	+	+	+	
	ROUND ON	+	+	+	
	PERLA	+	+	+	
	DECO	+	+	+	
	OVO IN	+	+	+	
	ROUND IN	+	+	+	
	OPUS IN	+	+	+	
	DO 22, DO 25, DO 28	+	+	+	
	DO 22 washbasin shelf	+		+	
	RE, MI	+			

*The tinted basin is available only in Matte Caffelatte, Matte Grey, Matte Oyster colours.

Attention! Granite palette colors (Matte Shadow, Matte Desert, Matte Night, Matte Cemento) are available for the countertop only.

All prices in EUR

PAA EXTENDED WARRANTY TERMS

SIA "PAA" (PAA) has been producing baths, washbasins and shower trays since 1993. The PAA factory is located in Latvia, the European Union. The products are produced from high-quality materials and comply with EU norms. Properly cared for, they will last for decades, which is why PAA offers a warranty of ten years.



Warranty conditions:

1. PAA guarantees that its products – baths, shower trays and washbasins (Products) – will remain fully functional and will not alter their shape or colour, produce surface peeling, cracks or blisters (Defects):

- a. for ten years from the date of purchase, regardless of the date of installation, if the Product is used in domestic conditions;
- b. for two years from the date of purchase, if the Product is used in commercial or public facilities (for example, restaurants, offices, educational institutions, hotels, residences or sports centres, etc.).

2. PAA grants:

- a. a four-year warranty for the components of the massage system, if the bathtub with a massage system has been installed by an authorised representative of the PAA;
- b. a two-year warranty for massage system components, overflow drains, panels, fittings, wooden parts and other accessories.

3. All PAA Products feature the CE marking and comply with EU safety, health and environmental protection requirements.

4. If a Defect is discovered in the Product under the terms and conditions of this warranty, the Product will be repaired or replaced after due inspection. The replacement Product will have the same characteristics (material, dimensions, colour, etc.) as the original Product, unless this is not possible due to the discontinuation of production, in which case PAA will replace it with a Product with similar characteristics.

5. The PAA warranty is void:

- a. if the Product has been damaged by third parties or the Owner during transportation, installation, maintenance or repair (except for in cases where installation, maintenance or repair was performed by a person authorised by PAA);
- b. if the Product has been intentionally or unintentionally damaged by the Owner as a result of improper storage or use of the Product (e.g., exposure to the environment; exposure to excessive UV radiation; thermal shock when filling a cold bath with water hotter than 60 degrees Celsius; exposure to chemical and mechanical damage, etc.);
- c. if the Product has been arbitrarily modified in any way;
- d. if the Owner has failed to comply with the installation and operating instructions;
- e. if Defects have been caused by external factors beyond the control of PAA (e.g., mains failure; poor water quality; thermostatic valve malfunction; lightning; fire; flood, etc.).

6. The PAA warranty does not apply to:

- a. Natural wear and tear of the product (e.g., surface wear, scratches, dents, discolouration due to the sun's UV radiation, wear of seals and bathtub pads, etc.);
- b. slight changes to the surface of the Product which are characteristic of the appearance of natural stone and do not affect its structural integrity;
- c. unevenness on the underside of the Product that is not visible and does not affect its use.

7. PAA recommends leaving the installation of the Products to an authorised representative of PAA or another professional plumbing service.

8. PAA reserves the right to make minor changes to the appearance and design of the Product. The permissible length and width tolerances are +/-5 mm for dimensions up to 1 m and +/-10 mm for dimensions above 1 m.

9. When making a warranty claim to PAA, the buyer must present a valid proof of purchase and/or a PAA warranty card.

10. All transportation and installation costs associated with the replacement of the Product under this warranty shall be borne by the Owner.

11. By purchasing the Product, the Owner agrees that PAA shall not be liable for damages exceeding the amount specified in the original Product invoice and/or delivery note and/or receipt. PAA shall not be liable for damages not covered by this warranty:

- a. including, but not limited to, liability for a product not fit for use, lost profits, lost business, inconvenience or moral damages to the owner;
- b. indirect and consequential damages or penalties from third parties related to damage of the Product.

CAST STONE

A reliable, solid and stable material with a classically shiny surface. Each product is made of a 14-20 mm cast stone base layer covered with a 1-1.5 mm thick, particularly hard and shiny polyester enamel (gelcoat).

The base layer of the cast stone consists of 80% ground marble, which is vacuum-mixed with synthetic resin and, to promote heat resistance, air-filled micro-spheres are added to it.




Easy care




As hard and durable as a stone



Resistant to stains




Heavy and stable



Accumulates and keeps warmth



Wide range of colors



CAST STONE CARE

To clean the bathtub, use a soft cloth and liquid for cleaning sanitary ware, for example, Cillit or Ajax.

To avoid scratching the surface, do not use abrasive, strongly acidic and strongly alkaline detergents.

Avoid long-term contact with the surface with strong dyes, for example, hair dye, as well as products containing acetone.

SilkSTONE®


Made from natural rock (bauxite) vacuum mixed with synthetic resin. Monolithic, homogeneous material throughout the thickness of the product (12-30 mm).

Tinted bathtubs, washbasins and shower trays are made by adding pigment to the material, without coating. The surface of each product is hand-finished. Silkstone is used for visually and geometrically flawless washbasins, bathtubs, table-tops, furniture fronts, floor and wall paneling, baseboards and other interior design elements.

It is perfect for intensively used premises, such as restaurants, hotels, shopping centers, schools, office buildings and manufacturing facilities. It is safe and easy to use and maintain.



Easy care




Accumulates and keeps warmth



Silky and warm matt texture



Resistant to stains




Easy to repair and renew surface



As hard and durable as a stone



Self-extinguishing



Easy to cut to the required size



Easy cleaning with abrasives



SilkSTONE® CARE

Daily cleaning is done by wiping the surfaces with a moist Scotch-Brite™ or similar cloth and a regular mild detergent. If the surface to be cleaned is matte, an abrasive detergent may also be used when necessary. The most common stains are easily removed by wiping. Ingrained stains may be removed with bleach, which is allowed to touch the surface for a maximum of five minutes. After this, the surface is cleaned with a regular detergent and rinsed with water.


Strong acids, such as detergents containing chloromethane or acetone, should be avoided in the daily cleaning of Silkstone surface. If the material comes into contact with acids, the surfaces must be rinsed quickly with a regular detergent and water to prevent changes in colour. Sharp items may cause minor cuts and scrapes. Slight marks are easily polished off, but the repair of deeper cuts requires professional service. Warranty does not apply to any damages caused by improper use.

GRAPHITE

Monolithic, homogeneous material throughout the thickness of the product (12-30 mm).

Graphite bathtubs, washbasins and shower trays are made by adding pigment to the Silkstone material, without coating.


The surface of each product is individually created with sandblasting and hand-finished.



Accumulates and keeps warmth



As hard and durable as a stone



Solid and stable



UV-resistant



GRAPHITE CARE


To maintain the flawless appearance of GRAPHITE products for a long time, they must be re-oiled. The surface should be treated if it has lost its original appearance, has become grayish, is not shiny, or sediment stains have appeared.

Clean the product from toothpaste, soap residue, and other dirt with a non-abrasive plumbing cleaner and the non-abrasive side of a surface cleaning sponge or brush.

If necessary, also unscrew the decorative cover of the siphon and treat the surface underneath. Allow the surface to dry thoroughly. Put a little oil on the soft part of the household surface cleaning sponge. Apply it to the GRAPHITE surface in circular motions, allowing the oil to penetrate even the deepest points of the surface. After about 5 minutes, gently wipe the surface with a cotton cloth, without rubbing, to remove excess oil.

For maximum effect, leave the GRAPHITE bathtub or sink for 24 hours after treatment, preventing contact with dust or water, thus allowing the surface to mineralize. If the oiling effect seems insufficient, it can be repeated.

PLACE FOR COMMENTS:



PLACE FOR COMMENTS:

